

## References

1. Trott AW. Children's foot problems. *Orthop Clin North Am* 13:641-654, 1982.
2. Caselli MA, Sobel E, McHale KA. Pedal manifestations of musculoskeletal disease in children. *Clin Podiatr Med Surg* 15:481-497, 1998.
3. Harris EJ. The oblique talus deformity. What is it, and what is its clinical significance in the scheme of pronatory deformities? *Clin Podiatr Med Surg* 17:419-442, 2000.
4. Hefti F. Foot pain. *Orthopade* 28:173-179, 1999.
5. Jayakumar S, Cowell HR, Ramsey P. Foot problems in children. Part 1. Vertical and oblique talus. *Instr Course Outline* 31:235-251, 1985.
6. Jayakumar S, Ramsey P. Vertical and oblique talus: a diagnostic dilemma. *Orthop Trans* 1:108, 1977.
7. Sullivan JA. Pediatric flatfoot: evaluation and management. *J Am Acad Orthop Surg* 7:44-53, 1999.
8. Tonnis D. Skewfoot. *Orthopade* 15:174-183, 1986.
9. Napolitano C, Walsh S, Mahoney L, McCrea J. Risk factors that may adversely modify the natural history of the pediatric pronated foot. *Clin Podiatr Med Surg* 17:397-417, 2000.
10. Sullivan RW. Correction of the hypermobile flatfoot by the subtalar arthroereisis procedure. *Mil Med* 150:546-548, 1985.
11. Jani L. Pediatric flatfoot. *Orthopade* 15:199-204, 1986.
12. Bahler A. Insole management of pediatric flatfoot. *Orthopade* 15:205-211, 1986.
13. Cappello T, Song KM. Determining treatment of flatfeet in children. *Curr Opin Pediatr* 10:77-81, 1998.
14. Staheli LT. Planovalgus foot deformity. Current status. *J Am Podiatr Med Assoc* 89:94-99, 1999.
15. Anderson AF, Fowler SB. Anterior calcaneal osteotomy for symptomatic juvenile pes planus. *Foot Ankle* 4:274-283, 1984.
16. Bruyn JM, Cerniglia MW, Chaney DM. Combination of Evans calcaneal osteotomy and STA-Peg arthroereisis for correction of the severe pes valgo planus deformity. *J Foot Ankle Surg* 38:339-346, 1999.
17. Cohen-Sobel E, Giorgini R, Velez Z. Combined technique for surgical correction of pediatric severe flexible flatfoot. *J Foot Ankle Surg* 34:183-194, 1995.
18. Dockery GL. Surgical treatment of the symptomatic juvenile flexible flatfoot condition. *Clin Podiatr Med Surg* 4:99-117, 1987.
19. Dockery GL. Symptomatic juvenile flatfoot condition: surgical treatment. *J Foot Ankle Surg* 34:135-145, 1995.
20. Mahan KT, McGlamry ED. Evans calcaneal osteotomy for flexible pes valgus deformity. A preliminary study. *Clin Podiatr Med Surg* 4:137-151, 1987.
21. Roye DP Jr, Raimondo RA. Surgical treatment of the child's and adolescent's flexible flatfoot. *Clin Podiatr Med Surg* 17:515-530, 2000.
22. Smith SD, Millar EA. Arthrorisis by means of a subtalar polyethylene peg implant for correction of hindfoot pronation in children. *Clin Orthop* 181:15-23, 1983.
23. Lundeen RO. The Smith STA-peg operation for hypermobile pes planovalgus in children. *J Am Podiatr Med Assoc* 75:177-183, 1985.
24. Forg P, Feldman K, Flake E, Green DR. Flake-Austin modification of the STA-Peg arthroereisis: a retrospective study. *J Am Podiatr Med Assoc* 91:394-405, 2001.
25. Maxwell JR, Carro A, Sun C. Use of the Maxwell-Brancheau arthroereisis implant for the correction of posterior tibial tendon dysfunction. *Clin Podiatr Med Surg* 16:479-489, 1999.
26. Lepow GM, Smith SD. A modified subtalar arthroereisis implant for the correction of flexible flatfoot in children. The STA Peg procedure. *Clin Podiatr Med Surg* 6:585-590, 1989.
27. Smith SD, Ocampo RF. Subtalar arthrorisis and associated procedures. *Clin Podiatr Med Surg* 14:87-98, 1997.
28. Vedantam R, Capelli AM, Schoenecker PL. Subtalar arthroereisis for the correction of planovalgus foot in children with neuromuscular disorders. *J Pediatr Orthop* 18:294-298, 1998.
29. Rockett AK, Mangum G, Mendicino SS. Bilateral intraosseous cystic formation in the talus: a complication of subtalar arthroereisis. *J Foot Ankle Surg* 37:421-425, 1998.
30. Thompkins MH, Nigro JS, Mendicino S. The Smith STA-peg: a 7-year retrospective study. *J Foot Ankle Surg* 32:27-33, 1993.
31. Crawford AH, Gabriel KR. Foot and ankle problems. *Orthop Clin North Am* 18:649-666, 1987.
32. Giorgini RJ, Schiraldi FG, Hernandez PA. Subtalar arthroereisis: a combined technique. *J Foot Surg* 27:157-161, 1988.
33. Giannini S, Kenneth A. Johnson Memorial Lecture. Operative treatment of the flatfoot: why and how. *Foot Ankle Int* 19:52-58, 1998.
34. Grady JF, Dinno MW. Subtalar arthroereisis in the neurologically normal child. *Clin Podiatr Med Surg* 17:443-457, 2000.
35. Langford JH, Bozof H, Horowitz BD. Subtalar arthroereisis. Valente procedure. *Clin Podiatr Med Surg* 4:153-161, 1987.
36. Lombardi CM, Silver LM, Silhanek AD, Connolly FG, Ramcharitar SI. Treatment of congenital convex pes valgus with navicular excision and subtalar arthroereisis: a case study. *J Foot Ankle Surg* 40:166-171, 2001.
37. Smith SD, Wagreich CR. Review of postoperative results of the subtalar arthrorisis operation: a preliminary study. *J Foot Surg* 23:253-260, 1984.
38. Smith PA, Millar EA, Sullivan RC. Sta-Peg arthroereisis for treatment of the planovalgus foot in cerebral palsy. *Clin Podiatr Med Surg* 17:459-469, 2000.
39. Crego CH Jr, Scheer GE. A two-stage stabilization procedure for correction of calcaneocavus. *J Bone Joint Surg Am* 38A:1247-1253, 1956.
40. Sekiya JK, Saltzman CL. Long term follow-up of medial column fusion and tibialis anterior transposition for adolescent flatfoot deformity. *Iowa Orthop J* 17:121-129, 1997.
41. Broughton NS, Graham G, Menelaus MB. The high incidence of foot deformity in patients with high level spina bifida. *J Bone Joint Surg* 76B:548-550, 1994.
42. Specht EE. Congenital paralytic vertical talus. An anatomical study. *J Bone Joint Surg* 57A:842-847, 1975.
43. Westcott MA, Dynes MC, Remer EM, Donaldson JS, Dias LS. Congenital and acquired orthopedic abnormalities in patients with myelomeningocele. *Radiographics* 12:1155-1173, 1992.
44. Green NE, Lowery ER, Thomas R. Orthopaedic aspects of prune belly syndrome. *J Pediatr Orthop* 13:496-501, 1993.
45. Stanton RP, Rao N, Scott CIJ. Orthopaedic manifestations in de Barys syndrome. *J Pediatr Orthop* 14:60-62, 1994.
46. Bamshad M, Bohnsack JF, Jorde LB, Carey JC. Distal arthrogryposis type 1: clinical analysis of a large kindred. *Am J Med Genet* 65:282-285, 1996.
47. Guidera KJ, Drennan JC. Foot and ankle deformities in arthrogryposis multiplex congenita. *Clin Orthop* 194:93-98, 1985.
48. Ashley RK, Larsen LJ, Waskow SB, Schnaser A. Congenital metacarpotalar syndrome. *Ann Acad Med Singapore* 10:434-441, 1981.
49. Haberlandt E, Löffler J, Hirst-Stadlmann A, Stockl B, Judmaier W, Fischer H, Heinz-Erian P, Müller T, Utermann G, Smith RJ, Janecke AR. Split hand/split foot malformation associated with sensorineural deafness, inner and middle ear malformations, hypodontia, congenital vertical talus, and deletion of eight microsatellite markers in 7q21.1-q21.3. *J Med Genet* 38:495-499, 2001.
50. Julia S, Pedespan JM, Boudard P, Barbier R, Gavilan-Cellie J, Chatiel JF, Lacombe D. Association of external auditory canal atresia, vertical talus, and hypertelorism: confirmation of rasmussen syndrome. *Am J Med Genet* 110:178-181, 2002.
51. Rasmussen N, Johnsen NJ, Thomsen J. Inherited congenital bilateral atresia of the external auditory canal, congenital bilateral vertical

- talus and increased interocular distance. *Acta Otolaryngol* 88:296–302, 1979.
52. Kodros SA, Dias LS. Single-stage surgical correction of congenital vertical talus. *J Pediatr Orthop* 19:42–48, 1999.
  53. Dumas L, Felipe G, Carliz H. Congenital convex talus. Methods and results of a single-stage surgical correction. *Rev Chir Orthop Reparatrice Appar Mot* 81:527–537, 1995.
  54. Dodge LD, Ashley RK, Gilbert GJ. Treatment of the congenital vertical talus: a retrospective review of 36 feet with long-term follow-up. *Foot Ankle* 7:326–332, 1987.
  55. Hamanishi C. Congenital vertical talus: classification with 69 cases and new measurement system. *J Pediatr Orthop* 4:318–326, 1984.
  56. Kranicz J, Bellyei A, Szabo G. Vertical Talus. *Magy Traumatol Orthop Helyreallito Serb* 34:319–323, 1991.
  57. Lichtblau S. Congenital vertical talus. *Bull Hosp Joint Dis* 39:165–179, 1978.
  58. Ogata K, Schoenecker PL, Sheridan J. Congenital vertical talus and its familial occurrence: an analysis of 36 patients. *Clin Orthop* 139:128–132, 1979.
  59. Wirth T, Schuler P, Griss P. Early surgical treatment of congenital vertical talus. *Arch Orthop Trauma Surg* 113:248–253, 1994.
  60. Yen CC, Huang SC. Surgical treatment of congenital convex pes valgus. *J Formos Med Assoc* 96:424–428, 1997.
  61. Zorer G, Bagatur AE, Dogan A. Single stage surgical correction of congenital vertical talus by complete subtalar release and peritalar reduction by using the Cincinnati incision. *J Pediatr Orthop B* 11:60–67, 2002.
  62. Klein DM, Merola AA, Spero CR. Congenital vertical talus with a talocalcaneal coalition. *J Bone Joint Surg* 78B:326–327, 1996.
  63. Dobbs MB, Schoenecker PL, Gordon JE. Autosomal dominant transmission of isolated congenital vertical talus. *Iowa Orthop J* 22:25–27, 2002.
  64. Stern HJ, Clark RD, Stroberg AJ, Shohat M. Autosomal dominant transmission of isolated congenital vertical talus. *Clin Genet* 36:427–430, 1989.
  65. Adelaar RS, Williams RM, Gould JS. Congenital convex pes valgus: results of an early comprehensive release and a review of congenital vertical talus at Richmond Crippled Children's Hospital and the University of Alabama in Birmingham. *Foot Ankle* 1:62–73, 1980.
  66. Oppenheim W, Smith C, Christie W. Congenital vertical talus. *Foot Ankle* 5:198–204, 1985.
  67. Salo JM, Viladot A, Garcia-Elikas M, Sanchez-Freijo JM, Viladot R. Congenital flat foot: different clinical forms. *Acta Orthop Belg* 58:406–410, 1992.
  68. Badelon O, Rigault P, Pouliquen JC, Padovani JP, Guyonvarch J. Congenital convex clubfoot: a diagnostic and therapeutic study of 71 cases. *Int Orthop* 8:211–221, 1984.
  69. Benard MA. Congenital vertical talus. *Clin Podiatr Med Surg* 17:471–480, 2000.
  70. Jacobsen ST, Crawford AH. Congenital vertical talus. *J Pediatr Orthop* 3:306–310, 1983.
  71. Marcinko DE, Azzolini TJ, Mariash SA. Enigma of pediatric vertical talus deformity. *J Foot Surg* 29:452–458, 1990.
  72. Hammel J. Ultrasound diagnosis of congenital foot deformities. *Orthopade* 31:326–327, 2002.
  73. Hammel J, Grossmann P, Schramm J, Becker W. Sonographic diagnosis of the juvenile tarsus. Clinical application possibilities demonstrated by examples. *Orthop Ihre Grenzgeb* 133:43–49, 1995.
  74. Schlesinger AE, Deeney VF, Caskey PF. Sonography of the nonossified tarsal navicular cartilage in an infant with congenital vertical talus. *Pediatr Radiol* 20:134–135, 1989.
  75. Schlesinger AE, Hernandez RJ. Diseases of the musculoskeletal system in children: imaging with CT, sonography, and MR. *Am J Roentgenol* 158:729–741, 1992.
  76. Greenberg AJ. Congenital vertical talus and congenital calcaneovalgus deformity: a comparison. *J Foot Surg* 20:189–193, 1981.
  77. Griffin DW, Daly N, Karlin JM. Clinical presentation of congenital convex pes valgus. *J Foot Ankle Surg* 34:146–152, 1995.
  78. Fitton JM, Nevelos AB. The treatment of congenital vertical talus. *J Bone Joint Surg* 61B:481–483, 1979.
  79. Schrader LF, Gilbert RJ, Skinner SR, Ashley RK. Congenital vertical talus: surgical correction by one-stage medial approach. *Orthopedics* 13:1233–1236, 1990.
  80. Stricker SJ, Rosen E. Early one-stage reconstruction of congenital vertical talus. *Foot Ankle Int* 18:525–543, 1997.
  81. Walker AP, Ghali NN, Silk FF. Congenital vertical talus. The results of staged operative reduction. *J Bone Joint Surg* 67B:117–121, 1985.
  82. Seimon LP. Surgical correction of congenital vertical talus under the age of 2 years. *J Pediatr Orthop* 7:405–411, 1987.
  83. Simons GW. The complete subtalar release in clubfeet. *Orthop Clin North Am* 18:667–688, 1987.
  84. Clark MW, D'Ambrosia RD, Ferguson AB. Congenital vertical talus: treatment by open reduction and navicular excision. *J Bone Joint Surg* 59A:816–824, 1977.
  85. Lombardi CM, Silver LM, Silhanek A.D., Connolly F.G., Ramcharitar S.I. Treatment of congenital convex pes valgus with navicular excision and subtalar arthroeresis: a case study *J Foot Ankle Surg* 40:166–171/sb:last-page2001?]
  86. Robbins H. Naviculectomy for congenital vertical talus. *Bull Hosp Joint Dis* 37:77–97, 1976.
  87. Marciniak W. Results of surgical peritalar release with elongation of the lateral column of the foot in treatment of congenital vertical talus. *Chir Narzadow Ruchu Ortop Pol* 58:189–193, 1993.
  88. McCall RE, Lillich JS, Harris JR, Johnston FA. The Grice extra-articular subtalar arthrodesis: a clinical review. *J Pediatr Orthop* 5:442–445, 1985.
  89. Napiontek M. Congenital vertical talus: a retrospective and critical review of 32 feet operated on by peritalar reduction. *J Pediatr Orthop B* 4:179–187, 1995.
  90. Kulik SA Jr, Clanton TO. Tarsal coalition. *Foot Ankle Int* 17:286–296, 1996.
  91. Thometz J. Tarsal coalitions. *Foot Ankle Clin* 5:103–117, 2002.
  92. Cohen BE, Davis WH, Anderson RB. Success of calcaneonavicular coalition resection in the adult population. *Foot Ankle Int* 17:569–572, 1996.
  93. Jayakumar S, Cowell HR. Rigid flatfoot. *Clin Orthop* 122:77–84, 1977.
  94. Scranton PE Jr. Treatment of symptomatic talocalcaneal coalition. *J Bone Joint Surg* 69A:533–539, 1987.
  95. Botine WH. Tarsal coalition. *Curr Opin Pediatr* 13:29–35, 2001.
  96. Leonard MA. The inheritance of tarsal coalition and its relationship to spastic flat foot. *J Bone Joint Surg* 56B:520–526, 1974.
  97. Mosier KM, Asher M. Tarsal coalitions and peroneal spastic flat foot. A review. *J Bone Joint Surg* 66A:976–984, 1984.
  98. Olney BW. Tarsal coalition. In *The Child's Foot and Ankle*, p 169, edited by JC Drennan, Raven Press, New York, 1992.
  99. Olney B, Asher M. Excision of symptomatic coalition of the middle facet of the talocalcaneal joint. *J Bone Joint Surg* 69A:538–544, 1987.
  100. Lateur LM, VanHoe LR, Ghellewe KV, Gryspeerdt SS, Baert AC, Dereymaaker GC. Subtalar coalition: diagnosis with the C sign on lateral radiographs of the ankle. *Radiology* 193:847–851, 1994.
  101. Cowell HR. Diagnosis and management of peroneal spastic flatfoot. *Instr Course Lect* 24:93–103, 1975.
  102. Cowell HR. Tarsal coalition—review and update. *Instr Course Lect* 31:264–271, 1982.
  103. Emery KH, Bisset G Sr, Johnson ND, Nunan PJ. Tarsal coalition: a

- blinded comparison of MRI and CT. *Pediatric Radiology* 28:612–616, 1998.
104. Hochman M, Reed MH. Features of calcaneonavicular coalition on coronal computed tomography. *Skeletal Radiol* 29:409–412, 2000.
  105. Solomon LB, Ruhli FJ, Taylor J, Ferris L, Henneberg M. A dissection and computer tomograph study of tarsal coalitions in 100 cadaver feet. *J Orthop Res* 21:352–358, 2003.
  106. Herzenberg JE, Goldner JL, Martinez S, Silverman PM. Computerized tomography of talocalcaneal tarsal coalition: a clinical and anatomic study. *Foot Ankle* 6:273–288, 1896.
  107. Lomasny LM, Demos TC, Harris EJ. Computed tomographic imaging of the foot and ankle. Developmental and congenital anomalies. *J Am Podiatr Med Assoc* 90:223–233, 2000.
  108. Masciocchi C, D'Archivo C, Barile A. Talocalcaneal coalition: computerized tomography and magnetic resonance imaging diagnosis. *Eur J Radiol* 15:22–25, 1992.
  109. Pineda C, Resnick D, Greenway G. Diagnosis of tarsal coalition with computed tomography. *Clin Orthop* July 208:282–288, 1986.
  110. Snyder RB, Lipscomb AB, Johnston RK. The relationship of tarsal coalitions to ankle sprains in athletes. *Am J Sports Med* 9:313–317, 1981.
  111. Stoskopf CA, Hernandez RJ, Kelikian A, Tachdjian MO, Dias LS. Evaluation of tarsal coalition by computed tomography. *J Pediatr Orthop* 4:365–369, 1984.
  112. Warren MJ, Jeffree MA, Wilson DL, MacLarnon JC. Computed tomography in suspected tarsal coalition. Examination of 26 cases. *Acta Orthop Scand* 61:554–557, 1990.
  113. Munk PL, Vellet AD, Levin MF, Helmes CA. Current status of magnetic resonance imaging of the ankle and hindfoot. *Can J Radiol* 43:19–30, 1992.
  114. Newman JS, Newberg AH. Congenital tarsal coalition: multimodality evaluation with emphasis on CT and MR imaging. *Radiographics* 20:321–332, 2000.
  115. Pachuda NM, Laday SO, Jay RM. Tarsal coalition: etiology, diagnosis and treatment. *J Foot Surg* 29:474–488, 1990.
  116. Weschler RJ, Schweitzer ME, Deely DM, Horn BD, Pizzutillo PD. Tarsal coalition: depiction and characterization with CT and MR imaging. *Radiology* 193:447–452, 1994.
  117. de Lima RT, Mishkins FS. The bone scan in tarsal coalition: a case report. *Pediatric Radiology* 26:754–756, 1996.
  118. Deutsch AL, Resnick D, Campbell G. Computed tomography and bone scintigraphy in the evaluation of tarsal coalition. *Radiology* 144:137–140, 1982.
  119. Goldman AR, Pavlov H, Schneider R. Radionuclide bone scanning in subtalar coalitions & differential considerations. *Am J Roentgenol* 138:427–432, 1982.
  120. Elkus RA. Tarsal coalition in the young athlete. *Am J Sports Med* 14:477–480, 1986.
  121. Harris RI, Beath T. Etiology of peroneal spastic flatfoot. *J Bone Joint Surg* 30B:624–634, 1948.
  122. Morgan RC, Crawford AH. Surgical management of tarsal coalition in adolescent athletes. *Foot Ankle* 7:183–193, 1986.
  123. Angostinelli JR. Tarsal coalition and its relationship to peroneal spastic flatfoot. *J Am Podiatr Med Assoc* 76:76–80, 1986.
  124. Barroso JL, Barriga A, Barrecheguren EG, Villas C, Beguiristain JL. Congenital synostoses of the tarsus. Concept, classification, diagnosis and therapeutic approach. *Rev Med Univ Navarra* 45: 43–52, 2001.
  125. Bohne WH. Tarsal coalition. *Curr Opin Pediatr* 13:29–35, 2001.
  126. Cowell HR. Talocalcaneal coalition and new causes of peroneal spastic flatfoot. *Clin Orthop* 85:16–22, 1972.
  127. Dungal P. The flatfoot in children—pes planovalgus. *Acta Chir Orthop Traumatol Cech* 55:536–548, 1988.
  128. Kelo MJ, Riddle DL. Examination and management of a patient with tarsal coalition. *Phys Ther* 78:518–525, 1998.
  129. Jacobs AM, Sollecito V, Oloff L, Klein N. Tarsal coalitions: an instructional review. *J Foot Surg* 20:214–221, 1981.
  130. Lahey MD, Zindrick MR, Harris EJ. A comparative study of the clinical presentation of tarsal coalitions. *Clin Podiatr Med Surg* 5:341–357, 1988.
  131. Page JC. Symptomatic flatfoot. Etiology and diagnosis. *J Am Podiatry Assoc* 73:393–399, 1983.
  132. Stormont DM, Peterson HA. The relative incidence of tarsal coalition. *Clin Orthop* 181:28–36, 1983.
  133. Lowy LJ. Pediatric peroneal spastic flatfoot in the absence of coalition. A suggested protocol. *J Am Podiatr Med Assoc* 88:181–191, 1998.
  134. Glockenberg A, Weinreb A, Pevny J. Rheumatoid arthritis-induced peroneal spastic flatfoot. *J Am Podiatr Med Assoc* 77:185–187, 1987.
  135. Johnson JC. Peroneal spastic flatfoot syndrome. *South Med J* 69:807–809, 1976.
  136. Graves SC, Kuester DJ, Richardson EG. Dysplasia epiphysealis hemimelica (Trevor disease) presenting as peroneal spastic flatfoot deformity: a case report. *Foot Ankle* 12:55–58, 1991.
  137. Doig SG, Menelaus MB. Association of slipped upper femoral epiphysis and peroneal spastic flatfoot. *J Pediatr Orthop* 11:220–221, 1991.
  138. Crawford AH, Gupta AK. Clubfoot controversies: complications and causes for failure. *Instr Course Lect* 45:339–346, 1996.
  139. Herzenberg JE, Paley D. Ilizarov management of clubfoot deformity in young children. In *Foot and Ankle Clinics*, edited by MS Myerson, Saunders, Philadelphia, 1998.
  140. Ponseti IV, Smoley EN. Congenital clubfoot: the results of treatment. *J Bone Joint Surg* 45A:82–94, 1963.
  141. Ponseti IV. *Congenital Clubfoot—Fundamentals of Treatment*, Oxford University Press, New York, 1966.
  142. Simons GW. *The Clubfoot*, Springer-Verlag, New York, 1994.
  143. Spiegel DA, Mathur SM, Davidson RS. Residual deformities following the treatment of idiopathic talipes equinovarus. In *Foot and Ankle Clinics*, edited by MS Myerson, Saunders, Philadelphia, 1998.
  144. Weseley MS, Barenfeld PA, Barrett N. Complications of the treatment of clubfoot. *Clin Orthop* 84:93–96, 1972.
  145. Coleman SS. *Complex Foot Deformities in Children*, Lea and Febinger, Philadelphia, 1983.
  146. Drennan JC. Congenital vertical and oblique talus. In *Foot and Ankle Clinics*, edited by MS Myerson, Saunders, Philadelphia, 1998.
  147. Silvani SH. Congenital convex pes valgus. The condition and its treatment. *Clin Podiatr Med Surg* 4:163–173, 1987.
  148. Tachdjian MO. Congenital convex pes valgus. *Orthop Clin North Am* 3:131–148, 1972.
  149. Green WB. Metatarsus adductus and skewfoot. *Instr Course Lect* 43:161–177, 1994.
  150. Mosca VS. Flexible flatfoot and skewfoot. *Instr Course Lect* 45:347–354, 1996.
  151. Napiontek M. Skewfoot. *J Pediatr Orthop* 22:130–133, 2002.
  152. Ponseti IV, Becker JR. Congenital metatarsus adductus: the results of treatment. *J Bone Joint Surg* 52A:67–70, 1970.
  153. Rushford GF. The natural history of hooked forefoot. *J Bone Joint Surg* 60B:530–532, 1978.
  154. Mosca VS. Calcaneal lengthening for valgus deformity of the hindfoot. Results in children who had severe, symptomatic flatfoot and skewfoot. *J Bone Joint Surg* 77A:500–512, 1995.
  155. Covalier R, Lipton GE, Baden JR. Radiological case study. *Orthopedics* 20:727–730, 1997.
  156. Peterson HA. Skewfoot. *J Pediatr Orthop* 6:24–30, 1986.