

References

1. Boulton AJ, Vileikyte L, Ragnarson-Tennvall G, Apelqvist J. The global burden of diabetic foot disease. *Lancet* 366:1719-1724,2005.
2. Singh N, Armstrong DG, Lipsky BA. Preventing foot ulcers in patients with diabetes. *JAMA* 293:217-228, 2005.
3. International Diabetes Federation and International Working Group on the Diabetic Foot. *Diabetes and Foot Care: Time to Act*, International Diabetes Federation, Brussels, 2005.
4. Wild S, Roglic G, Green A, Sicree R, King H. Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. *Diabetes Care* 27:1047-1053, 2004.
5. Centers for Disease Control and Prevention. National diabetes fact sheet: general information and national estimates on diabetes in the United States, Centers for Disease Control and Prevention, Atlanta, 2005.
6. Centers for Disease Control and Prevention. *Diabetes: a serious health problem. At-a-Glance 2000*, Center for Disease Control and Prevention, 2000.
7. Centers for Disease Control and Prevention. *Diabetes: Disabling, Deadly, and on the Rise: At-a-Glance, 2005*, Centers for Disease Control and Prevention, Atlanta, 2005.
8. American Diabetes Association. *Diabetes 1996 Vital Statistics*, American Diabetes Association, Alexandria, VA, 1996.
9. Harris MI. Diabetes in America: epidemiology and scope of the problem. *Diabetes Care (Suppl)*3:C11-C14, 1998.
10. Centers for Disease Control and Prevention. *Data and Trends: National Diabetes Surveillance System, Vol. 2006*, National Center for Chronic Disease Prevention and Health Promotion, Atlanta, 2005.
11. American Diabetes Association. Report of the Expert Committee on the diagnosis and classification of diabetes mellitus. *Diabetes Care (Suppl.1)*:S4-S19, 2000.
12. American Diabetes Association. *Diabetes Facts and Figures, 2000*, American Diabetes Association, Alexandria, VA, 2000.
13. American Diabetes Association. Economic costs of diabetes in the U.S. in 2002. *Diabetes Care* 26:917-932, 2003.
14. Palumbo PJ, Melton LJ. Peripheral vascular disease and diabetes. In: *Diabetes In America*, pp 1-21, edited by Harris MI and Hamman RF, National Institutes of Health, Bethesda, 1985.
15. Reiber GE. Epidemiology of foot ulcers and amputations in the diabetic foot. In: *The Diabetic Foot*, pp 13-32, edited by JH Bowker and MA Pfeifer, Mosby, St. Louis, 2001.
16. Reiber GE, Boyko EJ, Smith DG. Lower extremity foot ulcers and amputations in diabetes. In: *Diabetes in America*, 2nd ed, pp 409-427, edited by MI Harris, C Cowie, and MP Stern, NIH Publication No. 95-1468; 1995.
17. Frykberg RG, Habershaw GM, Chrzan JS. Epidemiology of the diabetic foot: ulcerations and amputations. In: *Contemporary Endocrinology: Clinical Management of Diabetic Neuropathy*, p 273, edited by A Veves, Humana Press, Totowa, NJ, 1998.
18. Moss SE, Klein R, Klein BEK. The prevalence and incidence of lower extremity amputation in a diabetic population. *Arch Intern Med* 152:610-616, 1992.
19. Ramsey SD, Newton K, Blough D, McCulloch DK, Sandhu N, Reiber GE, Wagner EH. Incidence, outcomes, and cost of foot ulcers in patients with diabetes. *Diabetes Care* 22:382-387, 1999.
20. Kumar S, Ashe HA, Parnell LN, Fernando DJ, Tsigos C, Young RJ, Ward JD, Boulton AJ. The prevalence of foot ulceration and its correlates in type 2 diabetic patients: a population-based study. *Diabetic Med* 11:480-484, 1994.
21. Moss SE, Klein R, Klein BE. The 14-year incidence of lower-extremity amputations in a diabetic population. The Wisconsin Epidemiologic Study of Diabetic Retinopathy. *Diabetes Care* 22:951-959, 1999.
22. Abbott CA, Vileikyte L, Williamson S, Carrington AL, Boulton AJ. Multicenter study of the incidence of and predictive risk factors for diabetic neuropathic foot ulceration. *Diabetes Care* 21:1071-1075, 1998.
23. Walters DP, Gatling W, Mullee MA, Hill RD. The distribution and severity of diabetic foot disease: a community study with comparison to a non-diabetic group. *Diabet Med* 9:354-358, 1992.
24. Reiber GE, Vileikyte L, Boyko EJ, del Aguila M, Smith DG, Lavery LA, Boulton AJ. Causal pathways for incident lower-extremity ulcers in patients with diabetes from two settings. *Diabetes Care* 22:157-162, 1999.
25. Frykberg RG. Diabetic foot ulcers: pathogenesis and management. *Am Fam Physician* 66:1655-1662, 2002.
26. Frykberg RG, Lavery LA, Pham H, Harvey C, Harkless L, Veves A. Role of neuropathy and high foot pressures in diabetic foot ulceration. *Diabetes Care* 21:1714-1719, 1998.
27. Boyko EJ, Ahroni JH, Stensel V, Forsberg RC, Davignon DR, Smith DG. A prospective study of risk factors for diabetic foot ulcer. The Seattle Diabetic Foot Study. *Diabetes Care* 22:1036-1042, 1999.
28. Pecoraro RE, Reiber GE, Burgess EM. Pathways to diabetic limb amputation: basis for prevention. *Diabetes Care* 13:513-521, 1990.
29. Larsson J, Agardh CD, Apelqvist J, Stenstrom A. Long-term prognosis after healed amputation in patients with diabetes. *Clin Orthop (350)*:149-158, 1998.
30. American Diabetes Association. Consensus Development Conference on Diabetic Foot Wound Care. *Diabetes Care* 22:1354, 1999.
31. Margolis DJ, Allen-Taylor L, Hoffstad O, Berlin JA. Diabetic neuropathic foot ulcers and amputation. *Wound Repair Regen* 13:230-236, 2005.
32. Jeffcoate WJ. The incidence of amputation in diabetes. *Acta Chir Belg* 105:140-144, 2005.
33. Frykberg RG. Epidemiology of the diabetic foot: ulcerations and amputations. *Adv Wound Care* 12:139-141, 1999.
34. Lavery LA, Ashry HR, van Houtum W, Pugh JA, Harkless LB, Basu S. Variation in the incidence and proportion of diabetes-related amputations in minorities. *Diabetes Care* 19:48-52, 1996.
35. Resnick HE, Valsania P, Phillips CL. Diabetes mellitus and nontraumatic lower extremity amputation in black and white Americans: the National Health and Nutrition Examination Survey Epidemiologic Follow-up Study, 1971-1992. *Arch Intern Med* 159:2470-2475, 1999.
36. Tentolouris N, Al-Sabbagh S, Walker MG, Boulton AJ, Jude EB. Mortality in diabetic and nondiabetic patients after amputations performed from 1990 to 1995: a 5-year follow-up study. *Diabetes Care* 27:1598-1604, 2004.
37. Mayfield JA, Reiber GE, Maynard C, Czerniecki JM, Caps MT, Sangeorzan BJ. Survival following lower-limb amputation in a veteran population. *J Rehabil Res Dev* 38:341-345, 2001.
38. Holzer SE, Camerota A, Martens L, Cuedon T, Crystal-Peters J, Zagari M. Costs and duration of care for lower extremity ulcers in patients with diabetes. *Clin Ther* 20:169-181, 1998.
39. Amato D PU, Lantin M, Basso K, Martens L. The cost of illness in patients with diabetic foot ulcers. Abstract, 59th Annual Meeting of the American Diabetes Association, San Diego, 1999.
40. Harrington C, Zagari MJ, Corea J, Klitenic J. A cost analysis of diabetic lower-extremity ulcers. *Diabetes Care* 23:1333-1338, 2000.
41. Gibbons GW, Eliopoulos GM. Infection of the diabetic foot. In: *Management of Diabetic Foot Problems*, p 121, edited by GP Kozak, DR Campbell, RG Frykberg, and GM Habershaw, WB Saunders, Philadelphia, 1995.

42. Shaw JE, Boulton AJ. The pathogenesis of diabetic foot problems: an overview. *Diabetes* 46 (Suppl 2):S58-S61, 1997.
43. Boulton AJ, Meneses P, Ennis WJ. Diabetic foot ulcers: a framework for prevention and care. *Wound Repair Regen* 7:7-16, 1999.
44. Young MJ, Breddy JL, Veves A, Boulton AJ. The prediction of diabetic neuropathic foot ulceration using vibration perception thresholds. A prospective study. *Diabetes Care* 17:557-560, 1994.
45. Pham HT, Armstrong DG, Harvey C, Harkless LB, Giurini JM, Veves A. Screening techniques to identify the at risk patients for developing diabetic foot ulcers in a prospective multicenter trial. *Diabetes Care* 23:606-611, 2000.
46. Abbott CA, Carrington AL, Ashe H, Bath S, Every LC, Griffiths J, Hann AW, Hussein A, Jackson N, Johnson KE, Ryder CH, Torkington R, Van Ross ER, Whalley AM, Widdows P, Williamson S, Boulton AJ. The North-West Diabetes Foot Care Study: incidence of, and risk factors for, new diabetic foot ulceration in a community-based patient cohort. *Diabet Med* 19:377-384, 2002.
47. McNeely MJ, Boyko EJ, Ahroni JH, Stensel VL, Reiber GE, Smith DG, Pecoraro RF. The independent contributions of diabetic neuropathy and vasculopathy in foot ulceration. How great are the risks? *Diabetes Care* 18:216-219, 1995.
48. Mayfield JA, Reiber GE, Sanders LJ, Janisse D, Pogach LM. Preventive foot care in people with diabetes. *Diabetes Care* 21:2161-2177, 1998.
49. Boulton AJ, Kirsner RS, Vileikyte L. Clinical practice. Neuropathic diabetic foot ulcers. *N Engl J Med* 351:48-55, 2004.
50. Boulton AJ. The diabetic foot: from art to science. The 18th Camillo Golgi lecture. *Diabetologia*, 2004.
51. Edmonds ME, Blundell MP, Morris ME, Thomas EM, Cotton LT, Watkins PJ. Improved survival of the diabetic foot: the role of a specialized foot clinic. *Q J Med* 60:763-771, 1986.
52. Akbari CM, Macsata R, Smith BM, Sidawy AN. Overview of the diabetic foot. *Semin Vasc Surg* 16:3-11, 2003.
53. Bus SA, Yang QX, Wang JH, Smith MB, Wunderlich R, Cavanagh PR. Intrinsic muscle atrophy and toe deformity in the diabetic neuropathic foot: a magnetic resonance imaging study. *Diabetes Care* 25:1444-1450, 2002.
54. Sumpio BE. Foot ulcers. *N Engl J Med* 343:787-793, 2000.
55. Van Gils CC, Roeder B. The effect of ankle equinus upon the diabetic foot. *Clin Podiatr Med Surg* 19:391-409, vi, 2002.
56. Lin SS, Lee TH, Wapner KL. Plantar forefoot ulceration with equinus deformity of the ankle in diabetic patients: the effect of tendo-achilles lengthening and total contact casting. *Orthopaedics* 19:465-475, 1996.
57. Lavery LA, Armstrong DG, Vela SA, Quebedeaux TL, Fleischli JG. Practical criteria for screening patients at high risk for diabetic foot ulceration. *Arch Intern Med* 158:158-162, 1998.
58. Armstrong DG, Stacpoole-Shea S, Nguyen H, Harkless LB. Lengthening of the Achilles tendon in diabetic patients who are at high risk for ulceration of the foot. *J Bone Joint Surg Am* 81:535-538, 1999.
59. van Schie CH. A review of the biomechanics of the diabetic foot. *Int J Low Extrem Wounds* 4:160-170, 2005.
60. Lavery LA, Armstrong DG, Boulton AJ. Ankle equinus deformity and its relationship to high plantar pressure in a large population with diabetes mellitus. *J Am Podiatr Med Assoc* 92:479-482, 2002.
61. Mueller MJ, Sinacore DR, Hastings MK, Strube MJ, Johnson JE. Effect of achilles tendon lengthening on neuropathic plantar ulcers. A randomized clinical trial. *J Bone Joint Surg* 85A:1436-1445, 2003.
62. Frykberg R. Diabetic foot ulcerations. In: *The High Risk Foot in Diabetes Mellitus*, 1st ed, pp 151-195, edited by R. Frykberg, Churchill Livingstone, New York, 1991.
63. Flynn MD, Tooke JE. Aetiology of diabetic foot ulceration: a role for the microcirculation. *Diabetic Med* 8:320-329, 1992.
64. Parkhouse N, Le Quesne PM. Impaired neurogenic vascular response in patients with diabetes and neuropathic foot lesions. *N Engl J Med* 318:1306-1309, 1988.
65. Boulton AJM, Vileikyte L. Pathogenesis of diabetic foot ulceration and measurements of neuropathy. *Wounds* 12(Suppl B):12B-18B, 2000.
66. Boulton AJ. The pathogenesis of diabetic foot problems: an overview. *Diabet Med* 13(Suppl 1):S12-16, 1996.
67. Nabuurs-Franssen MH, Houben AJ, Tooke JE, Schaper NC. The effect of polyneuropathy on foot microcirculation in Type II diabetes. *Diabetologia* 45:1164-1171, 2002.
68. Frykberg RG. Biomechanical considerations of the diabetic foot. *Lower Extremity* 2:207-214, 1995.
69. Knox RC, Dutch W, Blume P, Sumpio BE. Diabetic Foot Disease. *Int J Angiology* 9:1-6, 2000.
70. Veves A, Murray HJ, Young MJ, Boulton AJ. The risk of foot ulceration in diabetic patients with high foot pressure: a prospective study. *Diabetologia* 35:660-663, 1992.
71. Robertson DD, Mueller MJ, Smith KE, Commean PK, Pilgram T, Johnson JE. Structural changes in the forefoot of individuals with diabetes and a prior plantar ulcer. *J Bone Joint Surg Am* 84A:1395-1404, 2002.
72. Greenman RL, Khaodhiar L, Lima C, Dinh T, Giurini JM, Veves A. Foot small muscle atrophy is present before the detection of clinical neuropathy. *Diabetes Care* 28:1425-1430, 2005.
73. Mueller MJ, Hastings M, Commean PK, Smith KE, Pilgram TK, Robertson D, Johnson J. Forefoot structural predictors of plantar pressures during walking in people with diabetes and peripheral neuropathy. *J Biomech* 36:1009-1017, 2003.
74. Andersen H, Gjerstad MD, Jakobsen J. Atrophy of foot muscles: a measure of diabetic neuropathy. *Diabetes Care* 27:2382-2385, 2004.
75. Bus SA, Maas M, Cavanagh PR, Michels RP, Levi M. Plantar fat-pad displacement in neuropathic diabetic patients with toe deformity: a magnetic resonance imaging study. *Diabetes Care* 27:2376-2381, 2004.
76. Boulton AJ. Pressure and the diabetic foot: clinical science and offloading techniques. *Am J Surg* 187:17S-24S, 2004.
77. Caputo GM, Cavanagh PR, Ulbrecht JS, Gibbons GW, Karchmer AW. Assessment and management of foot disease in patients with diabetes. *N Engl J Med* 331:854-860, 1994.
78. Armstrong DG, Lavery LA. Elevated peak plantar pressures in patients who have Charcot arthropathy. *J Bone Joint Surg Am* 80:365-369, 1998.
79. Frykberg RG. Charcot arthropathy: pathogenesis and management. *Wounds* 12(6 Suppl B):35B-42B, 2000.
80. Lavery LA, Armstrong DG, Wunderlich RP, Tredwell J, Boulton AJ. Predictive value of foot pressure assessment as part of a population-based diabetes disease management program. *Diabetes Care* 26:1069-1073, 2003.
81. Cavanagh PR, Ulbrecht JS, Caputo GM. New developments in the bio mechanics of the diabetic foot. *Diabetes Metab Res Rev* 16 (Suppl 1):S6-S10, 2000.
82. Murray HJ, Young MJ, Hollis S, Boulton AJ. The association between callus formation, high pressures and neuropathy in diabetic foot ulceration. *Diabetic Med* 13:979-982, 1996.
83. Young MJ, Cavanagh PR, Thomas G, Johnson MM, Murray H, Boulton AJ. The effect of callus removal on dynamic plantar foot pressures in diabetic patients. *Diabet Med* 9:55-57, 1992.
84. Armstrong DG, Lavery LA, Holtz-Neiderer K, Mohler MJ, Wendel CS, Nixon BP, Boulton AJM. Variability in activity may precede diabetic foot lceration. *Diabetes Care* 27:1980-1984, 2004.

85. Apelqvist J, Larsson J, Agardh CD. The influence of external precipitating factors and peripheral neuropathy on the development and outcome of diabetic foot ulcers. *J Diabet Complications* 4:21-25, 1990.
86. Uccioli L, Faglia E, Monticone G, Favales F, Durola L, Aldeghi A, Quarantiello A, Calia P, Menzinger G. Manufactured shoes in the prevention of diabetic foot ulcers. *Diabetes Care* 18:1376-1378, 1995.
87. Pecoraro RE. Chronology and determinants of tissue repair in diabetic lower extremity ulcers. *Diabetes* 40:1305-1313, 1991.
88. Gibbons GW. Lower extremity bypass in patients with diabetic foot ulcers. *Surg Clin North Am* 83:659-669, 2003.
89. Sumpio BE, Lee T, Blume PA. Vascular evaluation and arterial reconstruction of the diabetic foot. *Clin Podiatr Med Surg* 20:689-708, 2003.
90. International Working Group on the Diabetic Foot. International Consensus on the Diabetic Foot, edited by J Apelqvist, K Bakker, WH Van Houtum, MH Nabuurs-Franssen, and NC Schaper. Vol. 2005. International Working Group on the Diabetic Foot, Maastricht, 1999.
91. Mills JL BW, Taylor SM. The diabetic foot: Consequences of delayed treatment and referral. *So Med J* 84:970, 1991.
92. Fernando DJ, Masson EA, Veves A, Boulton AJ. Relationship of limited joint mobility to abnormal foot pressures and diabetic foot ulceration. *Diabetes Care* 14:8-11, 1991.
93. Boulton AJM. The pathway to ulceration. In: *The Foot in Diabetes*, 3rd ed, pp 19-31, edited by AJM Boulton, H Connor, and PR Cavanagh, John Wiley and Sons, Chichester, UK, 2000.
94. Mueller MJ, Diamond JE, Delitto A, Sinacore DR. Insensitivity, limited joint mobility, and plantar ulcers in patients with diabetes mellitus. *Physical Therapy* 69:453-462, 1989.
95. Brownlee M. Glycation products and the pathogenesis of diabetic complications. *Diabetes Care* 15:1835-1843, 1992.
96. Delbridge L, Perry P, Marr S, Arnold N, Yue DK, Turtle JR, Reeve TS. Limited joint mobility in the diabetic foot: relationship to neuropathic ulceration. *Diabet Med* 5:333-337, 1988.
97. Zimny S, Schatz H, Pfohl M. The role of limited joint mobility in diabetic patients with an at-risk foot. *Diabetes Care* 27:942-946, 2004.
98. Grant WP, Foreman EJ, Wilson AS, Jacobus DA, Kukla RM. Evaluation of Young's modulus in Achilles tendons with diabetic neuroarthropathy. *J Am Podiatr Med Assoc* 95:242-246, 2005.
99. Grant WP, Sullivan R, Soenshine DE, Adam M, Slusser JH, Carson KA, Vinik AI. Electron microscopic investigation of the effects of diabetes mellitus on the achilles tendon. *J Foot Ankle Surg* 36:272-278, 1997.
100. Frykberg RG. Diabetic foot ulcerations: management and adjunctive therapy. *Clin Podiatr Med Surg* 20:709-728, 2003.
101. Abouaasha F, van Schie CH, Armstrong DG, Boulton AJ. Plantar soft-tissue thickness predicts high peak plantar pressure in the diabetic foot. *J Am Podiatr Med Assoc* 94:39-42, 2004.
102. Abouaasha F, van Schie CH, Griffiths GD, Young RJ, Boulton AJ. Plantar tissue thickness is related to peak plantar pressure in the high-risk diabetic foot. *Diabetes Care* 24:1270-1274, 2001.
103. D'Ambrogi E, Giurato L, D'Agostino MA, Giacomozzi C, Macellari V, Caselli A, Uccioli L. Contribution of plantar fascia to the increased forefoot pressures in diabetic patients. *Diabetes Care* 26:1525-1529, 2003.
104. D'Ambrogi E, Giacomozzi C, Macellari V, Uccioli L. Abnormal foot function in diabetic patients: the altered onset of Windlass mechanism. *Diabet Med* 22:1713-1719, 2005.
105. Piaggese A, Romanelli M, Schipani E, Campi F, Magliaro A, Baccetti F, Navalesi R. Hardness of plantar skin in diabetic neuropathic feet. *J Diabetes Complications* 13:129-134, 1999.
106. Ahroni JH, Boyko EJ, Forsberg RC. Clinical correlates of plantar pressure among diabetic veterans. *Diabetes Care* 22:965-972, 1999.
107. Rathur HM, Boulton AJ. Pathogenesis of foot ulcers and the need for offloading. *Horm Metab Res* 37(Suppl 1):61-68, 2005.
108. Brand PW. Repetitive stress in the development of diabetic foot ulcers. In: *The Diabetic Foot*, 4th ed, pp 83-90, edited by ME Levin and JK Davidson, Mosby, St Louis, 1988.
109. Habershaw G, Chrzan JS. Biomechanical considerations of the diabetic foot. In: *Management of Diabetic Foot Problems*, 2nd ed, pp 53-65, edited by GP Kozak, DR Campbell, RG Frykberg, and GM Habershaw, WB Saunders, Philadelphia, 1995.
110. Lavery LA, Armstrong DG, Wunderlich RP, Tredwell JL, Boulton AJM. Predictive value of foot pressure assessment as part of a population-based diabetes disease management program. *Diabetes Care* 26:1069-1073, 2003.
111. Pham H, Armstrong DG, Harvey C, Harkless LB, Giurini JM, Veves A. Screening techniques to identify people at high risk for diabetic foot ulceration: a prospective multicenter trial. *Diabetes Care* 23:606-611, 2000.
112. Armstrong DG, Peters EJ, Athanasiou KA, Lavery LA. Is there a critical level of plantar foot pressure to identify patients at risk for neuropathic foot ulceration? *J Foot Ankle Surg* 37:303-307, 1998.
113. Armstrong DG, Lavery LA. Plantar pressures are higher in diabetic patients following partial foot amputation. *Ostomy Wound Manage* 44:30-32, 34, 36 passim, 1998.
114. Shah BR, Hux JE. Quantifying the risk of infectious diseases for people with diabetes. *Diabetes Care* 26:510-513, 2003.
115. Lavery LA, Armstrong DG, Wunderlich RP, Tredwell J, Boulton AJ. Diabetic foot syndrome: evaluating the prevalence and incidence of foot pathology in Mexican Americans and non-Hispanic whites from a diabetes disease management cohort. *Diabetes Care* 26:1435-1438, 2003.
116. Caputo GM, Joshi N, Weitekamp MR. Foot infections in patients with diabetes. *Am Fam Physician* 56:195-202, 1997.
117. Armstrong DG, Lipsky BA. Diabetic foot infections: stepwise medical and surgical management. *Int Wound Journal* 1:123-132, 2004.
118. Grayson ML, Gibbons GW, Habershaw GM, Freeman DV, Pomposelli FB, Rosenblum BI, Levin E, Karchmer AW. Use of ampicillin/sulbactam versus imipenem/cilastatin in the treatment of limb-threatening foot infections in diabetic patients. *Clin Infect Dis* 18:683-693, 1994.
119. Grayson ML. Diabetic foot infections. Antimicrobial therapy. *Infect Dis Clin North Am* 9:143-161, 1995.
120. Sapico FL, Canawati HN, Witte JL, Montgomerie JZ, Wagner FW, Jr, Bessman AN. Quantitative aerobic and anaerobic bacteriology of infected diabetic feet. *J Clin Microbiol* 12:413-420, 1980.
121. Goldstein EJ, Citron DM, Nesbit CA. Diabetic foot infections. Bacteriology and activity of 10 oral antimicrobial agents against bacteria isolated from consecutive cases. *Diabetes Care* 19:638-641, 1996.
122. Lipsky BA. A report from the international consensus on diagnosing and treating the infected diabetic foot. *Diabetes Metab Res Rev* 20(Suppl 1):S68-S77, 2004.
123. Lipsky BA, Berendt AR, Deery HG, Embil JM, Joseph WS, Karchmer AW, LeFrock JL, Lew DP, Mader JT, Norden C, Tan JS. Diagnosis and treatment of diabetic foot infections. *Clin Infect Dis* 39:885-910, 2004.
124. Calhoun JH, Cantrell J, Cobos J, Lacy J, Valdez RR, Hokanson J, Mader JT. Treatment of diabetic foot infections: Wagner classification, therapy, and outcome. *Foot and Ankle* 9:101-106, 1988.
125. Caputo GM. The rational use of antimicrobial agents in diabetic foot infection. In: *The Foot in Diabetes*, 3rd ed, pp 143-151, edited by AJM Boulton, H Connor, and PR Cavanagh, Wiley and Sons, Chichester, 1994.

126. Gibbons GW, Habershaw GM. Diabetic foot infections. *Anatomy and surgery. Infect Dis Clin North Am* 9:131-142, 1995.
127. Eneroth M, Larsson J, Apelqvist J. Deep foot infections in patients with diabetes and foot ulcer: an entity with different characteristics, treatments, and prognosis. *J Diabetes Complications* 13:254-263, 1999.
128. Sinha S, Munichoodapa CS, Kozak GP. Neuroarthropathy (Charcot joints) in diabetes mellitus. *Medicine* 51:191-210, 1972.
129. Sanders LJ, Frykberg RG. Diabetic neuropathic osteoarthropathy: The Charcot foot. In: *The High Risk Foot in Diabetes Mellitus*, pp 325-333, edited by RG Frykberg, Churchill Livingstone, New York, 1991.
130. Jeffcoate W, Lima J, Nobrega L. The Charcot foot. *Diabet Med* 17:253-258, 2000.
131. Banks AS. A clinical guide to Charcot foot. In: *Medical and Surgical Management of the Diabetic Foot*, pp 125-145, edited by S Kominsky, Mosby-Yearbook, St. Louis, 1994.
132. Frykberg RG, Mendezsoon E. Management of the diabetic Charcot foot. *Diabetes Metab Res Rev* 16(Suppl 1):S59-S65, 2000.
133. Sanders L, Frykberg RG. Charcot neuroarthropathy of the foot. In: *Levin and O'Neal's The Diabetic Foot*, 6th ed, pp 439-466, edited by JH Bowker and MA Pfeifer, Mosby, St. Louis, 2001.
134. Frykberg RG, Kozak GP. The diabetic Charcot foot. In: *Management of Diabetic Foot Problems*, 2nd ed, pp 88-97, edited by GP Kozak, DR Campbell DR, RG Frykberg, and GM Habershaw GM, WB Saunders, Philadelphia, 1995.
135. Armstrong DG, Todd WF, Lavery LA, Harkless LB. The natural history of acute Charcot's arthropathy in a diabetic foot specialty clinic. *Diabetic Medicine* 14:357-363, 1997.
136. Frykberg RG. Charcot changes in the diabetic foot. In: *The Diabetic Foot: Medical and Surgical Management*, pp 221-246, edited by A Veves, J Giurini, and FW LoGerfo, Humana Press Inc., Totowa, NJ, 2002.
137. Giurini JM, Chrzan JS, Gibbons GW, Habershaw GM. Charcot's disease in diabetic patients. Correct diagnosis can prevent progressive deformity. *Postgrad Med* 89:163-169, 1991.
138. Pakarinen TK, Laine HJ, Honkonen SE, Peltonen J, Oksala H, Lahtela J. Charcot arthropathy of the diabetic foot. Current concepts and review of 36 cases. *Scand J Surg* 91:195-201, 2002.
139. Rajbhandari SM, Jenkins RC, Davies C, Tesfaye S. Charcot neuroarthropathy in diabetes mellitus. *Diabetologia* 45:1085-1096, 2002.
140. Trepman E, Nihal A, Pinzur MS. Current topics review: Charcot neuroarthropathy of the foot and ankle. *Foot Ankle Int* 26:46-63, 2005.
141. Moss SE, Klein R, Klein BE. The prevalence and incidence of lower extremity amputation in a diabetic population. *Arch Intern Med* 152:610-616, 1992.
142. Adler AI, Boyko EJ, Ahroni JH, Smith DG. Lower-extremity amputation in diabetes. The independent effects of peripheral vascular disease, sensory neuropathy, and foot ulcers [In Process Citation]. *Diabetes Care* 22:1029-1035, 1999.
143. Jeffcoate WJ, van Houtum WH. Amputation as a marker of the quality of foot care in diabetes. *Diabetologia* 47:2051-2058, 2004.
144. Resnick HE, Carter EA, Sosenko JM, Henly SJ, Fabsitz RR, Ness FK, Welty TK, Lee ET, Howard BV. Incidence of lower-extremity amputation in American Indians: the Strong Heart Study. *Diabetes Care* 27:1885-1891, 2004.
145. Moulik PK, Mtonga R, Gill GV. Amputation and mortality in new-onset diabetic foot ulcers stratified by etiology. *Diabetes Care* 26:491-494, 2003.
146. Hennis AJ, Fraser HS, Jonnalagadda R, Fuller J, Chaturvedi N. Explanations for the high risk of diabetes-related amputation in a Caribbean population of black african descent and potential for prevention. *Diabetes Care* 27:2636-2641, 2004.
147. Melton LJ, Macken KM, Palumbo PJ, Elveback LR. Incidence and prevalence of clinical peripheral vascular disease in a population-based cohort of diabetic patients. *Diabetes Care* 3:650-654, 1980.
148. Pirart J. Diabetes mellitus and its degenerative complications: a prospective study of 4,400 patients observed between 1947 and 1973. *Diabetes Care* 1:168, 1978.
149. LoGerfo FW, Gibbons GW, Pomposelli FB, Jr., Campbell DR, Miller A, Freeman DV, Quist WC. Trends in the care of the diabetic foot. Expanded role of arterial reconstruction. *Arch Surg* 127:617-621, discussion 620-621, 1992.
150. Gibbons GW. The diabetic foot: amputations and drainage of infection. *J Vasc Surg* 5:791-793, 1987.
151. Frykberg RG. An evidence-based approach to diabetic foot infections. *Am J Surg* 186:44S-54S, 2003.
152. UK Prospective Diabetes Study Group. Effect of intensive blood-glucose control with metformin on complications in overweight patients with type 2 diabetes (UKPDS 34). UK Prospective Diabetes Study (UKPDS) Group. *Lancet* 352:854-865, 1998.
153. The Diabetes Control and Complications Trial Research Group. The effect of intensive treatment of diabetes on the development and progression of long-term complications in insulin-dependant diabetes mellitus. *N Engl J Med* 329:966-986, 1993.
154. American Diabetes Association. Implications of the Diabetes Control and Complications Trial. *Diabetes Care* 23(Suppl 1):S24-S26, 2000.
155. American Diabetes Association. Implications of the United Kingdom Prospective Diabetes Study. *Diabetes Care* 23(Suppl 1):S27-S31, 2000.
156. Selby JV, Zhang D. Risk factors for lower extremity amputation in persons with diabetes. *Diabetes Care* 18:509-516, 1995.
157. Reiber GE, Pecoraro RE, Koepsell TD. Risk factors for amputation in patients with diabetes mellitus: a case control study. *Ann Intern Med* 117:97-105, 1992.
158. Nelson RG, Gohdes DM, Everhart JE, Hartner JA, Zwemmer FL, Pettitt DJ, Knowler WC. Lower extremity amputations in NIDDM: 12-year follow-up study in Pima Indians. *Diabetes Care* 11:8-16, 1988.
159. Lee JS, Lu M, Lee VS. Lower extremity amputation: incidence, risk factors and mortality in the Oklahoma Indian diabetes study. *Diabetes* 42:876-882, 1993.
160. Lehto S, Ronnema T, Pyorala K, Laakso M. Risk factors predicting lower extremity amputations in patients with NIDDM. *Diabetes Care* 19:607-612, 1996.
161. Humphrey AR, Dowse GK, Thoma K, Zimmet PZ. Diabetes and non-traumatic lower extremity amputations. Incidence, risk factors, and prevention—a 12-year follow-up study in Nauru. *Diabetes Care* 19:710-714, 1996.
162. Levin ME. Preventing amputation in the patient with diabetes. *Diabetes Care* 18:1383-1394, 1995.
163. Frykberg RG. Team approach toward lower extremity amputation prevention in diabetes. *J Am Podiatr Med Assoc* 87:305-312, 1997.
164. Larsson J, Apelqvist J, Agardh CD, Stenstrom A. Decreasing incidence of major amputation in diabetic patients: a consequence of a multidisciplinary foot care team approach? *Diabet Med* 12:770-776, 1995.
165. Driver VR, Madsen J, Goodman RA. Reducing amputation rates in patients with diabetes at a military medical center: the limb preservation service model. *Diabetes Care* 28:248-253, 2005.
166. Van Gils CC, Wheeler LA, Mellstrom M, Brinton EA, Mason S, Wheeler CG. Amputation prevention by vascular surgery and podiatry collaboration in high-risk diabetic and nondiabetic patients. The Operation Desert Foot experience. *Diabetes Care* 22:678-683, 1999.
167. Boyko EJ, Ahroni JH, Stensel V, Forsberg RC, Heagerty PJ. Prediction of diabetic foot ulcer using readily available clinical information: the Seattle Diabetic Foot Study. *Diabetes* 51(Suppl 2):A18, 2002.

168. Apelqvist J, Larsson J, Agardh CD. Long-term prognosis for diabetic patients with foot ulcers. *J Intern Med* 233:485-491, 1993.
169. Ebskov LB. Diabetic amputation and long-term survival. *Int J Rehabil Res* 21:403-408, 1998.
170. Aulivola B, Hile CN, Hamdan AD, Sheahan MG, Veraldi JR, Skillman JJ, Campbell DR, Scovell SD, LoGerfo FW, Pomposelli FB, Jr. Major lower extremity amputation: outcome of a modern series. *Arch Surg* 139:395-399, discussion 399, 2004.
171. Goldner MG. The fate of the second leg in the diabetic amputee. *Diabetes* 9:100-103, 1960.
172. Bodily KC, Burgess EM. Contralateral limb and patient survival after leg amputation. *Am J Surg* 146:280-282, 1983.
173. Sumpio BE, Aruny J, Blume PA. The multidisciplinary approach to limb salvage. *Acta Chir Belg* 104:647-653, 2004.
174. Del Aguila MA, Reiber GE, Koepsell TD. How does provider and patient awareness of high-risk status for lower-extremity amputation influence foot-care practice? *Diabetes Care* 17:1050-1054, 1994.
175. American Diabetes Association. Preventative foot care in people with diabetes. *Diabetes Care* 26(Suppl 1):S78-S79, 2003.
176. Armstrong DG, Perales TA, Murff RT, Edelson GW, Welchon JG. Value of white blood cell count with differential in the acute diabetic foot infection. *J Am Podiatr Med Assoc* 86:224-227, 1996.
177. Caballero E, Frykberg RG. Diabetic foot infections. *J Foot Ankle Surg* 37:248-255, 1998.
178. Eneroth M, Apelqvist J, Stenstrom A. Clinical characteristics and outcome in 223 diabetic patients with deep foot infections. *Foot Ankle Int* 18:716-722, 1997.
179. Keenan AM, Tindel NL, Alavi A. Diagnosis of pedal osteomyelitis in diabetic patients using current scintigraphic techniques. *Arch Intern Med* 149:2262-2266, 1989.
180. Lipsky BA. Osteomyelitis of the foot in diabetic patients. *Clin Infect Dis* 25:1318-1326, 1997.
181. Frykberg RG, Veves A. Diabetic foot infections. *Diabetes Metab Rev* 12:255-270, 1996.
182. Edelson GW, Armstrong DG, Lavery LA, Caicco G. The acutely infected diabetic foot is not adequately evaluated in an inpatient setting. *Arch Intern Med* 156:2373-2376, 1996.
183. Sella EJ, Grosser DM. Imaging modalities of the diabetic foot. *Clin Podiatr Med Surg* 20:729-740, 2003.
184. Edmonds ME, Clarke MB, Newton JB, Barrett J, Watkins PJ. Increased uptake of radiopharmaceutical in diabetic neuropathy. *Q J Med* 57:843-855, 1985.
185. Johnson JE, Kennedy EJ, Shereff MJ, Patel NC, Collier BD. Prospective study of bone, indium-111-labeled white blood cell, and gallium-67 scanning for the evaluation of osteomyelitis in the diabetic foot. *Foot Ankle Int* 17:10-16, 1996.
186. Blume PA, Dey HM, Daley LJ, Arrighi JA, Soufer R, Gorecki GA. Diagnosis of pedal osteomyelitis with Tc-99m HMPAO labeled leukocytes. *J Foot Ankle Surg* 36:120-126, discussion 160, 1997.
187. Devillers A, Moisan A, Hennion F, Garin E, Poirier JY, Bourguet P. Contribution of technetium-99m hexamethylpropylene amine oxime labelled leucocyte scintigraphy to the diagnosis of diabetic foot infection. *Eur J Nucl Med* 25:132-138, 1998.
188. Fox IM, Zeiger L. Tc-99m-HMPAO leukocyte scintigraphy for the diagnosis of osteomyelitis in diabetic foot infections. *J Foot Ankle Surg* 32:591-594, 1993.
189. Newman LG. Imaging techniques in the diabetic foot. *Clin Podiatr Med Surg* 12:75-86, 1995.
190. Termaat MF, Raijmakers PG, Scholten HJ, Bakker FC, Patka P, Haarman HJ. The accuracy of diagnostic imaging for the assessment of chronic osteomyelitis: a systematic review and meta-analysis. *J Bone Joint Surg Am* 87:2464-2471, 2005.
191. Schauwecker DS, Park HM, Burt RW, Mock BH, Wellman HN. Combined bone scintigraphy and indium-111 leukocyte scans in neuropathic foot disease. *J Nucl Med* 29:1651-1655, 1988.
192. Palestro CJ, Torres MA. Radionuclide imaging in orthopedic infections. *Semin Nucl Med* 27:334-345, 1997.
193. Palestro CJ, Mehta HH, Patel M, Freeman SJ, Harrington WN, Tomas MB, Marwin SE. Marrow versus infection in the Charcot joint: indium-111 leukocyte and technetium-99m sulfur colloid scintigraphy. *J Nucl Med* 39:346-350, 1998.
194. Tomas MB, Patel M, Marwin SE, Palestro CJ. The diabetic foot. *Br J Radiol* 73:443-450, 2000.
195. Aliabadi P, Nikpoor N, Alparslan L. Imaging of neuropathic arthropathy. *Semin Musculoskelet Radiol* 7:217-225, 2003.
196. Boc SF, Brazzo K, Lavian D, Landino T. Acute Charcot foot changes versus osteomyelitis: does Tc-99m HMPAO labeled leukocytes scan differentiate? *J Am Podiatr Med Assoc* 9:365-368, 2001.
197. Longmaid HE, 3rd, Kruskal JB. Imaging infections in diabetic patients. *Infect Dis Clin North Am* 9:163-182, 1995.
198. Zlatkin MB, Pathria M, Sartoris DJ, Resnick D. The diabetic foot. *Radiol Clin North Am* 25:1095-1105, 1987.
199. Savnik A, Amris K, Rogind H, Prip K, Danneskiold-Samsøe B, Bojsen-Møller F, Bartels EM, Bliddal H, Boesen J, Egund N. MRI of the plantar structures of the foot after falanga torture. *Eur Radiol* 10:1655-1659, 2000.
200. Lipsky BA, Berendt AR, Embil J, De Lalla F. Diagnosing and treating diabetic foot infections. *Diabetes Metab Res Rev* 20(Suppl 1):S56-S64, 2004.
201. Durham JR, Lukens ML, Campanini DS, Wright JG, Smead WL. Impact of magnetic resonance imaging on the management of diabetic foot infections. *Am J Surg* 162:150-153, discussion 153-154, 1991.
202. Ledermann HP, Morrison WB. Differential diagnosis of pedal osteomyelitis and diabetic neuroarthropathy: MR imaging. *Semin Musculoskelet Radiol* 9:272-283, 2005.
203. Berendt AR, Lipsky B. Is this bone infected or not? Differentiating neuro-osteopathy from osteomyelitis in the diabetic foot. *Curr Diab Rep* 4:424-429, 2004.
204. Ahmadi ME, Morrison WB, Carrino JA, Schweitzer ME, Raikin SM, Ledermann HP. Neuropathic arthropathy of the foot with and without superimposed osteomyelitis: MR imaging characteristics. *Radiology* 238:622-631, 2006.
205. Berendt T, Byren I. Bone and joint infection. *Clin Med* 4:510-518, 2004.
206. Morrison WB, Schweitzer ME, Batte WG, Radack DP, Russel KM. Osteomyelitis of the foot: relative importance of primary and secondary MR imaging signs. *Radiology* 207:625-632, 1998.
207. Schweitzer ME, Morrison WB. MR imaging of the diabetic foot. *Radiol Clin North Am* 42:61-71, vi, 2004.
208. Keidar Z, Militianu D, Melamed E, Bar-Shalom R, Israel O. The diabetic foot: initial experience with 18F-FDG PET/CT. *J Nucl Med* 46:444-449, 2005.
209. Alnafisi N, Yun M, Alavi A. F-18 FDG positron emission tomography to differentiate diabetic osteoarthropathy from septic arthritis. *Clin Nucl Med* 26:638-639, 2001.
210. Bureau NJ, Ali SS, Chhem RK, Cardinal E. Ultrasound of musculoskeletal infections. *Semin Musculoskelet Radiol* 2:299-306, 1998.
211. Enderle MD, Coerper S, Schweizer HP, Kopp AE, Thelen MH, Meisner C, Pressler H, Becker HD, Clausen C, Haring HU, Luft D. Correlation of imaging techniques to histopathology in patients with diabetic foot syndrome and clinical suspicion of chronic osteomyelitis. The role of high-resolution ultrasound. *Diabetes Care* 22:294-299, 1999.

212. Kalani M, Brismar K, Fagrell B, Ostergren J, Jorneskog G. Transcutaneous oxygen tension and toe blood pressure as predictors for outcome of diabetic foot ulcers. *Diabetes Care* 22:147-151, 1999.
213. Apelqvist J, Castenfors J, Larsson J, Stenstrom A, Agardh CD. Prognostic value of systolic ankle and toe blood pressure levels in outcome of diabetic foot ulcer. *Diabetes Care* 12:373-378, 1989.
214. Pomposelli FB, Jr., Marcaccio EJ, Gibbons GW, Campbell DR, Freeman DV, Burgess AM, Miller A, LoGerfo FW. Dorsalis pedis arterial bypass: durable limb salvage for foot ischemia in patients with diabetes mellitus. *J Vasc Surg* 21:375-384, 1995.
215. American Diabetes Association. Peripheral arterial disease in people with diabetes. *Diabetes Care* 26:3333-3341, 2003.
216. Young MJ, Adams JE, Anderson GF, Boulton AJ, Cavanagh PR. Medial arterial calcification in the feet of diabetic patients and matched non-diabetic control subjects [see comments]. *Diabetologia* 36:615-621, 1993.
217. Chantelau E, Lee KM, Jungblut R. Association of below-knee atherosclerosis to medial arterial calcification in diabetes mellitus. *Diabetes Res Clin Pract.* 29:169-172, 1995.
218. Stevens MJ, Goss DE, Foster AV, Pitei D, Edmonds ME, Watkins PJ. Abnormal digital pressure measurements in diabetic neuropathic foot ulceration. *Diabet Med* 1:909-915, 1993.
219. Bone GE, Pomajzl MJ. Toe blood pressure by photoplethysmography: an index of healing in forefoot amputation. *Surgery* 5:569, 1981.
220. Karanfilian RG, Lynch TG, Zirul VT, Padberg FT, Jamil Z, Hobson RW, 2nd. The value of laser Doppler velocimetry and transcutaneous oxygen tension determination in predicting healing of ischemic fore foot ulcerations and amputations in diabetic and nondiabetic patients. *J Vasc Surg* 4:511-516, 1986.
221. Arora S, Pomposelli F, LoGerfo FW, Veves A. Cutaneous microcirculation in the neuropathic diabetic foot improves significantly but not completely after successful lower extremity revascularization. *J Vasc Surg* 35:501-505, 2002.
222. Netten PM, Wollersheim H, Thien T, Lutterman JA. Skin microcirculation of the foot in diabetic neuropathy. *Clin Sci (Lond)* 91:559-565, 1996.
223. Adera HM, James K, Castronuovo JJ, Jr, Byrne M, Deshmukh R, Lohr J. Prediction of amputation wound healing with skin perfusion pressure. *J Vasc Surg* 21:823-828, discussion 828-829, 1995.
224. Castronuovo JJ, Jr., Adera HM, Smiell JM, Price RM. Skin perfusion pressure measurement is valuable in the diagnosis of critical limb ischemia. *J Vasc Surg* 26:629-637, 1997.
225. Abularrage CJ, Sidawy AN, White PW, Weiswasser JM, Arora S. Abnormalities of microcirculation in diabetes. In: *Diabetic Foot: Lower Extremity Arterial Disease and Limb Salvage*, pp 145-154, edited by AN. Sidawy, Lippincott Williams & Wilkins, Philadelphia, 2006.
226. LoGerfo FW, Coffman JD. Vascular and microvascular disease of the foot in diabetes. *N Engl J Med* 311:1615-1619, 1984.
227. Andros G. Diagnostic and therapeutic arterial interventions in the ulcerated diabetic foot. *Diabetes Metab Res Rev* 20(Suppl 1):S29-33, 2004.
228. Faglia E, Favale F, Quarantiello A, Calia P, Clelia P, Brambilla G, Rampoldi A, Morabito A. Angiographic evaluation of peripheral arterial occlusive disease and its role as a prognostic determinant for major amputation in diabetic subjects with foot ulcers. *Diabetes Care* 21:625-630, 1998.
229. Hingorani A, Ascher E. Infrapopliteal arterial imaging. In: *Diabetic Foot: Lower Extremity Arterial Disease and Limb Salvage*, pp 155-166, edited by AN Sidawy, Lippincott Williams & Wilkins, Philadelphia, 2006.
230. Lee HM, Wang Y, Sostman HD, Schwartz LH, Khilnani NM, Trost DW, Ramirez de Arellano E, Teeger S, Bush HL. Distal lower extremity arteries: evaluation with two-dimensional MR digital subtraction angiography. *Radiology* 207:505-512, 1998.
231. Stokes KR, Pomposelli FB, Longmaid HE. Arteriography. In: *Management of Diabetic Foot Problems*, 2nd ed, pp 149-157, edited by GP Kozak, Campbell DR, Frykberg RG, and Habershaw GM, WB Saunders, Philadelphia, 1995.
232. Mueller MJ. Identifying patients with diabetes who are at risk for lower extremity complications: use of Semmes-Weinstein monofilaments. *Phys Ther* 76:68-71, 1996.
233. Kumar S, Fernando DJS, Veves A, Knowles EA, Young MJ, Boulton AJM. Semmes-Weinstein monofilaments: a simple, effective and inexpensive screening device for identifying diabetic patients at risk of foot ulceration. *Diabetes Res Clin Practice* 13:63-68, 1991.
234. Armstrong DG, Lavery LA, Vela SA, Quebedeaux TL, Fleischli JG. Choosing a practical screening instrument to identify patients at risk for diabetic foot ulceration. *Arch Intern Med* 158:289-292, 1998.
235. Mayfield JA, Sugarman JR. The use of the Semmes-Weinstein monofilament and other threshold tests for preventing foot ulceration and amputation in persons with diabetes. *J Fam Pract* 49 (11 Suppl):S17-S29, 2000.
236. Coppini DV, Young PJ, Weng C, Macleod AF, Sonksen PH. Outcome on diabetic foot complications in relation to clinical examination and quantitative sensory testing: a case-control study. *Diabet Med* 15:765-771, 1998.
237. Dinh TL, Veves A. A review of the mechanisms implicated in the pathogenesis of the diabetic foot. *Int J Low Extrem Wounds* 4:154-159, 2005.
238. Boulton AJ, Betts RP, Franks CI, Newrick PG, Ward JD, Duckworth T. Abnormalities of foot pressure in early diabetic neuropathy. *Diabet Med* 4:225-228, 1987.
239. Duckworth T, Boulton AJ, Betts RP, Franks CI, Ward JD. Plantar pressure measurements and the prevention of ulceration in the diabetic foot. *J Bone Joint Surg [Br]* 67:79-85, 1985.
240. Pitei DL, Edmonds ME. Foot pressure measurements. *Wounds* 12 Suppl 6:19B-29B, 2000.
241. Donaghue VM, Veves A. Foot pressure measurement. *Orth Phys Ther Clin N Am* 6:1-16, 1997.
242. Harris RI, Beath T. Army Foot Survey—An Investigation of Foot Ailments in Canadian Soldiers. National Research Council of Canada, NRC, Ottawa, No 1574, 1947.
243. van Schie CH, Abbott CA, Vileikyte L, Shaw JE, Hollis S, Boulton AJ. A comparative study of the Podotrack, a simple semiquantitative plantar pressure measuring device, and the optical pedobarograph in the assessment of pressures under the diabetic foot. *Diabet Med* 16:154-159, 1999.
244. Rith-Najarian SJ, Stolusky T, Gohdes DM. Identifying diabetic patients at high risk for lower-extremity amputation in a primary health care setting. A prospective evaluation of simple screening criteria. *Diabetes Care* 15:1386-1389, 1992.
245. Armstrong DG, Lavery LA, Harkless LB. Treatment-based classification system for assessment and care of diabetic feet. *J Am Podiatr Med Assoc* 86:311-316, 1996.
246. Armstrong DG, Lavery LA. Diabetic foot ulcers: prevention, diagnosis and classification. *Am Fam Phys* 57:1325-1340, 1998.
247. Peters EJ, Lavery LA. Effectiveness of the diabetic foot risk classification system of the International Working Group on the Diabetic Foot. *Diabetes Care* 24:1442-1447, 2001.
248. Frykberg RG. Diabetic foot ulcers: current concepts. *J Foot Ankle Surg* 37:440-446, 1998.
249. Barth R, Campbell LV, Allen S, Jupp JJ, Chisholm DJ. Intensive education improves knowledge, compliance, and foot problems in type 2 diabetes. *Diabet Med* 8:111-117, 1991.
250. Calle-Pascual AL, Duran A, Benedi A, Calvo MI, Charro A, Diaz JA, Calle JR, Gil E, Maranes JP, Cabezas-Cerrato J. A preventative foot care programme for people with diabetes with different stages of neuropathy. *Diabetes Res Clin Pract* 57:111-117, 2002.

251. Valk GD, Kriegsman DM, Assendelft WJ. Patient education for preventing diabetic foot ulceration. *Cochrane Database Syst Rev* (1):CD001488, 2005.
252. Frykberg RG. Podiatrist's role in the care and treatment of the diabetic foot. In: *Diabetes 1994*, pp 734-743, edited by S Baba and T Kaneko, Elsevier Science B.V., Amsterdam, 1995.
253. Armstrong DG, Harkless LB. Outcomes of preventative care in a diabetic foot specialty clinic. *J Foot Ankle Surg* 37:460-466, 1998.
254. Ortegon MM, Redekop WK, Niessen LW. Cost-effectiveness of prevention and treatment of the diabetic foot: a Markov analysis. *Diabetes Care* 27:901-907, 2004.
255. Singh N, Armstrong DG, Lipsky BA. Preventing foot ulcers in patients with diabetes. [Review]. *JAMA* 293:217-228, 2005.
256. Bild DE, Shelby JV, Sinnock P, Browner WS, Braveman P, Showstock JA. Lower extremity amputations in people with diabetes: epidemiology and prevention. *Diabetes Care* 12:24-29, 1989.
257. Rith-Najarian SJ, Reiber GE. Prevention of foot problems in persons with diabetes. *J Fam Pract* 49 (11 Suppl):S30-39, 2000.
258. Reiber GE, Raugi GJ. Preventing foot ulcers and amputations in diabetes. *Lancet* 366:1676-1677, 2005.
259. Lavery LA, Vela SA, Fleischli JG, Armstrong DG, Lavery DC. Reducing plantar pressure in the neuropathic foot: a comparison of footwear. *Diabetes Care* 20:1706-1710, 1997.
260. Cavanagh PR. Therapeutic footwear for people with diabetes. *Diabetes Metab Res Rev* 20(Suppl 1):S51-S55, 2004.
261. Mueller MJ. Therapeutic footwear helps protect the diabetic foot. *J Am Pod Med Assoc* 87:360-364, 1997.
262. Chantelau E, Kushner T, Spraul M. How effective is cushioned therapeutic footwear in protecting diabetic feet? A clinical study. *Diabetic Medicine* 7:335-339, 1990.
263. Reiber GE, Smith DG, Wallace C, Sullivan K, Hayes S, Vath C, Maciejewski ML, Yu O, Heagerty PJ, LeMaster J. Effect of therapeutic footwear on foot reulceration in patients with diabetes: a randomized controlled trial. *JAMA* 287:2552-2558, 2002.
264. Maciejewski ML, Reiber GE, Smith DG, Wallace C, Hayes S, Boyko EJ. Effectiveness of Diabetic Therapeutic Footwear in Preventing Reulceration. *Diabetes Care* 27:1774-1782, 2004.
265. Mueller MJ, Strube MJ, Allen BT. Therapeutic footwear can reduce plantar pressures in patients with diabetes and transmetatarsal amputation. *Diabetes Care* 20:637-641, 1997.
266. Brown D, Wertsch JJ, Harris GF, Klein J, Janisse D. Effect of rocker soles on plantar pressures. *Arch Phys Med Rehabil* 85:81-86, 2004.
267. Boulton AJ, Jude EB. Therapeutic footwear in diabetes: the good, the bad, and the ugly? *Diabetes Care* 27:1832-1833, 2004.
268. Dahmen R, Haspels R, Koomen B, Hoeksma AF. Therapeutic footwear for the neuropathic foot: an algorithm. *Diabetes Care* 24:705-709, 2001.
269. Tovey FI. The manufacture of diabetic footwear. *Diabet Med* 1:69-71, 1984.
270. Armstrong DG, Frykberg RG. Classifying diabetic foot surgery: toward a rational definition. *Diabet Med* 20:329-331, 2003.
271. Frykberg R, Giurini J, Habershaw G, Rosenblum B, Chrzan J. Prophylactic surgery in the diabetic foot. In: *Medical and Surgical Management of the Diabetic Foot*, pp.399-439, edited by SJ Kominsky, Mosby, St. Louis, 1993.
272. Giurini JM, Lyons TE. Diabetic foot complications: diagnosis and management. *Int J Low Extrem Wounds* 4:171-182, 2005.
273. Sayner LR, Rosenblum BI, Giurini JM. Elective surgery of the diabetic foot. *Clin Podiatr Med Surg* 20(4):783-792, 2003.
274. Malone JM, Snyder M, Anderson G, Bernhard VM, Holloway GA, Jr., Bunt TJ. Prevention of amputation by diabetic education. *Am J Surg* 158:520-523, discussion 523-524, 1989.
275. American Diabetes Association. Standards of medical care in diabetes—2006. *Diabetes Care* 29(Suppl 1):S4-42, 2006.
276. American Diabetes Association. Preventive foot care in diabetes. *Diabetes Care* 27(Suppl 1):S63-S64, 2004.
277. Lavery LA, Higgins KR, Lanctot DR, Constantinides GP, Zamorano RG, Armstrong DG, Athanasiou KA, Agrawal CM. Home monitoring of foot skin temperatures to prevent ulceration. *Diabetes Care* 27:2642-2647, 2004.
278. Dargis V, Pantelejeva O, Jonushaite A, Vileikyte L, Boulton AJ. Benefits of a multidisciplinary approach in the management of recurrent diabetic foot ulceration in Lithuania: a prospective study. *Diabetes Care* 22:1428-1431, 1999.
279. Faglia E, Favales F, Morabito A. New ulceration, new major amputation, and survival rates in diabetic subjects hospitalized for foot ulceration from 1990 to 1993: a 6.5-year follow-up. *Diabetes Care* 24:78-83, 2001.
280. Preventive foot care in people with diabetes. *Diabetes Care* 26(Suppl 1):16-17, 2003.
281. Mayfield JA, Reiber GE, Sanders LJ, Janisse D, Pogach LM. Preventive foot care in diabetes. *Diabetes Care* 27(Suppl 1):S63-S64, 2004.
282. Litzelman DK, Slemenda CW, Langefeld CD, Hays LM, Welch MA, Bild DE, Ford ES, Vinicor F. Reduction of lower extremity clinical abnormalities in patients with non-insulin-dependent diabetes mellitus. A randomized, controlled trial. *Ann Intern Med* 119:36-41, 1993.
283. Collins KA, Sumpio BE. Vascular assessment. *Clin Podiatr Med Surg* 17:171-191, 2000.
284. Akbari CM, Sidawy AN. Overview of the Diabetic Foot and Limb Salvage. In: *Diabetic Foot: Lower Extremity Arterial Disease and Limb Salvage*, pp 1-10, edited by AN Sidawy, Lippincott Williams & Wilkins, Philadelphia, 2006.
285. Grayson ML, Gibbons GW, Balogh K, Levin E, Karchmer AW. Probing to bone in infected pedal ulcers. A clinical sign of underlying osteomyelitis in diabetic patients. *JAMA* 273:721-723, 1995.
286. Wrobel JS, Connolly JE. Making the diagnosis of osteomyelitis. The role of prevalence. *J Am Podiatr Med Assoc* 88:337-343, 1998.
287. Lipsky BA. Medical treatment of diabetic foot infections. *Clin Infect Dis* 39(Suppl 2):S104-S114, 2004.
288. Lazarus GS, Cooper DM, Knighton DR, Margolis DJ, Pecoraro RE, Rodeheaver G, Robson MC. Definitions and guidelines for assessment of wounds and evaluation of healing. *Arch Dermatol* 130:489-493, 1994.
289. Young MJ. Classification of ulcers and its relevance to management. In: *The Foot in Diabetes*, 3rd ed, pp 61-72, edited by AJM Boulton, H Connor, and PR Cavanagh, John Wiley and Sons, Chichester, 2000.
290. Armstrong DG, Lavery LA, Harkless LB. Validation of a diabetic wound classification system. The contribution of depth, infection, and ischemia to risk of amputation [see comments]. *Diabetes Care* 21:855-859, 1998.
291. Lavery LA, Armstrong DG, Harkless LB. Classification of Diabetic Foot Wounds. *J Foot Ankle Surg* 35:528-531, 1996.
292. Wagner FW. The dysvascular foot: a system for diagnosis and treatment. *Foot and Ankle* 2:64-122, 1981.
293. Oyibo SO, Jude EB, Tarawneh I, Nguyen HC, Harkless LB, Boulton AJ. A comparison of two diabetic foot ulcer classification systems: the Wagner and the University of Texas wound classification systems. *Diabetes Care* 24:84-88., 2001.
294. Schaper NC. Diabetic foot ulcer classification system for research purposes: a progress report on criteria for including patients in research studies. *Diabetes Metab Res Rev* 20(Suppl 1):S90-S95, 2004.
295. Markowitz JS, Gutterman EM, Magee G, Margolis DJ. Risk of amputation in patients with diabetic foot ulcers: a claims-based study. *Wound Repair Regen* 14:11-17, 2006.
296. Patout CA, Jr., Birke JA, Horswell R, Williams D, Cerise FP. Effectiveness of a comprehensive diabetes lower-extremity amputation prevention program in a predominantly low-income African-American population. *Diabetes Care* 23:1339-1342, 2000.

297. Ollendorf DA, Kotsanos JG, Wishner WJ, Friedman M, Cooper T, Bittoni M, Oster G. Potential economic benefits of lower-extremity amputation prevention strategies in diabetes. *Diabetes Care* 21:1240-1245, 1998.
298. Apelqvist J, Ragnarson-Tennvall G, Larsson J, Persson U. Long-term costs for foot ulcers in diabetic patients in a multidisciplinary setting. *Foot Ankle Int* 16:388-394, 1995.
299. Frykberg RG. The team approach in diabetic foot management. *Adv Wound Care* 11:71-77, 1998.
300. Holstein PE, Sorensen S. Limb salvage experience in a multidisciplinary diabetic foot unit. *Diabetes Care* 22 (Suppl 2):B97-B103, 1999.
301. Wraight PR, Lawrence SM, Campbell DA, Colman PG. Creation of a multidisciplinary, evidence based, clinical guideline for the assessment, investigation and management of acute diabetes related foot complications. *Diabet Med* 22:127-136, 2005.
302. Driver VR. Silver dressings in clinical practice. *Ostomy Wound Manage* 50(9A Suppl):11S-15S, 2004.
303. Nelson JP. The vascular history and physical examination. *Clin Podiatr Med Surg* 9:1-17, 1992.
304. Ramasastry SS. Chronic problem wounds. *Clin Plastic Surg* 25:367-396, 1998.
305. Gibbons GW, Marcaccio EJ, Jr, Burgess AM, Pomposelli FB, Jr, Freeman DV, Campbell DR, Miller A, LoGerfo FW. Improved quality of diabetic foot care, 1984 vs 1990. Reduced length of stay and costs, insufficient reimbursement. *Arch Surg* 128:576-581, 1993.
306. Aulivola B, Pomposelli FB. Dorsalis pedis, tarsal and plantar artery bypass. *J Cardiovasc Surg (Torino)* 45:203-212, 2004.
307. Pomposelli FB, Kansal N, Hamdan AD, Belfield A, Sheahan M, Campbell DR, Skillman JJ, Logerfo FW. A decade of experience with dorsalis pedis artery bypass: analysis of outcome in more than 1000 cases. *J Vasc Surg* 37:307-315, 2003.
308. Cook SD, Ryaby JP, McCabe J, Frey JJ, Heckman JD, Kristiansen TK. Acceleration of tibia and distal radius fracture healing in patients who smoke. *Clin Orthop Relat Res* 337:198-207, 1997.
309. Silverstein P. Smoking and wound healing. *Am J Med* 93:22S-24S, 1992.
310. Vileikyte L, Peyrot M, Bundy C, Rubin RR, Leventhal H, Mora P, Shaw JE, Baker P, Boulton AJ. The development and validation of a neuropathy- and foot ulcer-specific quality of life instrument. *Diabetes Care* 26:2549-2555, 2003.
311. Vileikyte L, Rubin RR, Leventhal H. Psychological aspects of diabetic neuropathic foot complications: an overview. *Diabetes Metab Res Rev* 20(Suppl 1):S13-S18, 2004.
312. Schultz GS, Sibbald RG, Falanga V, Ayello EA, Dowsett C, Harding K, Romanelli M, Stacey MC, Teot L, Vanscheidt W. Wound bed preparation: a systematic approach to wound management. *Wound Repair Regen* 11(Suppl 1):S1-S28, 2003.
313. O'Brien M. Methods of debridement and patient focused care. *J Comm Nurs* 17:17-25, 2003.
314. Falanga V. Wound healing and its impairment in the diabetic foot. *Lancet* 366:1736-1743, 2005.
315. Falanga V. Wound bed preparation: science applied to practice. European Wound Management Association (EWMA). Position Document: Wound Bed Preparation in Practice, pp 2-5, 2004.
316. Bucknall TE. The effect of local infection upon wound healing: an experimental study. *Br J Surg* 67:851-855, 1980.
317. Robson MC, Stenberg BD, Heggors JP. Wound healing alterations caused by infection. *Clin Plast Surg* 17:485-492, 1990.
318. Bowering CK. Diabetic foot ulcers. Pathophysiology, assessment, and therapy. *Can Fam Physician* 47:1007-1016, 2001.
319. Enoch S, Harding K. Wound bed preparation: the science behind the removal of barrier to healing. *Wounds* 15:213-229, 2003.
320. Edmonds M, Foster A, Vowden P. Wound bed preparation for diabetic foot ulcers. European Wound Management Association (EWMA). Position Document: Wound Bed Preparation in Practice, pp 6-11, 2004.
321. Miller M. The role of debridement in wound healing. *Community Nurse* 2:52-55, 1996.
322. Levin M. Diabetic foot wounds: pathogenesis and management. *Adv Wound Care* 10:24-30, 1997.
323. Steed DL, Donohoe D, Webster MW, Lindsley L. Effect of extensive debridement and treatment on the healing of diabetic foot ulcers. Diabetic Ulcer Study Group. *J Am Coll Surg* 183:61-64, 1996.
324. Sieggreen MY, Maklebust J. Debridement: choices and challenges. *Adv Wound Care* 10:32-37, 1997.
325. Driver VR. Treating the macro and micro wound environment of the diabetic patient: managing the whole patient, not the hole in the patient. *Foot and Ankle Quarterly—The Seminar Journal* 16:47-56, 2004.
326. Steed D. Modulating wound healing in diabetes. In: Levin and O'Neal's *The Diabetic Foot*, pp 395-404, edited by J Bowker and M Pfeiffer, Mosby, St. Louis, 2001.
327. Attinger CE, Bulan E, Blume PA. Surgical debridement: the key to successful wound healing and reconstruction. *Clin Podiatr Med Surg* 17:599-630, 2000.
328. Falanga V. Wound bed preparation and the role of enzymes: a case for multiple actions of therapeutic agents. *Wounds* 14:47-57, 2002.
329. Webb L. High Pressure Parallel Fluid Flow for Debridement of Contaminated Wounds in a Pig Model. HydroCision Doc. No. 1000-1173, Belreric, MA, 2003.
330. Webb L, Smith T, Morykwas M. A Pilot Study of Two Techniques for Wound Debridement. HydroCision Doc. No. 1000-1255, Bellerica, MA, 2003.
331. Hsu C, Bereuing K. Wound Debridement Using VERSAJET A Novel Hydrosurgery System. HydroCision Doc. No. 1000-1232, Bellerica, MA, 2003.
332. Jung W, Winter H. Considerations for the use of Clostridial collagenase in clinical practice. *Clin Drug Invest* 15:245-252, 1998.
333. Drager E, Winter H. Surgical debridement versus enzymatic debridement. In: *The Clinical Relevance of Debridement*, pp 59-71, edited by M Baharestani, F Gottrup, P Holstein, and W Vanscheidt, Springer-Verlag, New York, 1999.
334. Ayello E, Cuddigan J. Debridement: controlling the necrotic/cellular burden. *Adv Skin Wound Care* 17:66-75, 2004.
335. Alvarez OM, Fernandez-Obregon A, Rogers RS, Bergamo L, Mazzo J, Black M. A prospective, randomized, comparative study of collagenase and papain-urea for pressure ulcer debridement. *Wounds* 14:293-301, 2002.
336. Eaglstein WH, Falanga V. Chronic wounds. *Surg Clin North Am* 77:689-700, 1997.
337. Scott RG, Loehne HB. 5 questions—and answers—about pulsed lavage. *Adv Skin Wound Care* 13:133-134, 2000.
338. Frost & Sullivan Research Service. Market Engineering Analysis of the Enzymatic Wound Debridement Products Market, 1998.
339. Armstrong DG, Mossel J, Short B, Nixon BP, Knowles EA, Boulton AJ. Maggot debridement therapy: a primer. *J Am Podiatr Med Assoc* 92:398-401, 2002.
340. Mumcuoglu KY. Clinical applications for maggots in wound care. *Am J Clin Dermatol* 2:219-227, 2001.
341. Sherman RA. Maggot therapy for foot and leg wounds. *Int J Low Extrem Wounds* 1:135-142, 2002.
342. Sherman RA. Maggot therapy for treating diabetic foot ulcers unresponsive to conventional therapy. *Diabetes Care* 26:446-451, 2003.
343. Courtney M. The use of larval therapy in wound management in the UK. *J Wound Care* 8:177-179, 1999.

344. Hinman CD, Maibach H. Effect of air exposure and occlusion on experimental human skin wounds. *Nature* 200;377-378, 1963.
345. Winter GD. Formation of the scab and the rate of epithelization of superficial wounds in the skin of the young domestic pig. *Nature* 193:293-294, 1962.
346. Bucalo B, Eaglstein WH, Falanga V. Inhibition of cell proliferation by chronic wound fluid. *Wound Repair Regen* 1:181-186, 1993.
347. Falanga V. Classifications for wound bed preparation and stimulation of chronic wounds. *Wound Repair Regen* 8:347-352, 2000.
348. Phillips TJ, al-Amoudi HO, Leverkus M, Park HY. Effect of chronic wound fluid on fibroblasts. *J Wound Care* 7:527-532, 1998.
349. Hansson C. Interactive wound dressings. A practical guide to their use in older patients. *Drugs Aging* 11:271-284, 1997.
350. Dinh T, Pham H, Veves A. Emerging treatments in diabetic wound care. *Wounds* 14:2-10, 2002.
351. Veves A, Sheehan P, Pham HT. A randomized, controlled trial of Promogran (a collagen/oxidized regenerated cellulose dressing) vs standard treatment in the management of diabetic foot ulcers. *Arch Surg* 137:822-827, 2002.
352. Ovington LG. Overview of matrix metalloprotease modulation and growth factor protection in wound healing. Part 1. *Ostomy Wound Manage* 48(6 Suppl):3-7, 2002.
353. Falanga V. Introducing the concept of wound bed preparation. *Inter Forum Wound Care* 16:1-4, 2001.
354. Lobmann R, Schultz G, Lehnert H. Proteases and the diabetic foot syndrome: mechanisms and therapeutic implications. *Diabetes Care* 28:461-471, 2005.
355. Mulder GD, Vande Berg JS. Cellular senescence and matrix metalloproteinase activity in chronic wounds. Relevance to debridement and new technologies. *J Am Podiatr Med Assoc* 92:34-37, 2002.
356. Rosner K, Ross C, Karlsmark T, Petersen AA, Gottrup F, Vejlsgaard GL. Immunohistochemical characterization of the cutaneous cellular infiltrate in different areas of chronic leg ulcers. *Apmis* 103:293-299, 1995.
357. Tarnuzzer RW, Schultz GS. Biochemical analysis of acute and chronic wound environments. *Wound Repair Regen* 4:321-325, 1996.
358. Driver VR, Landowski M, Madsen J. The diabetic foot: from assessment to treatment. In: *Acute and Chronic Wounds: Nursing Management*, 3rd ed, pp 307-336, edited by R Bryant, Mosby, St. Louis, 2004.
359. Jeffcoate WJ, Harding KG. Diabetic foot ulcers. *Lancet* 361:1545-1551, 2003.
360. Mulder G, Armstrong DG, Seaman S. Standard appropriate and advanced care: medical legal considerations for diabetic lower extremity wounds. *Wounds* 26:1069-1073, 2003.
361. Wieman TJ. Clinical efficacy of becaplermin (rhPDGF-BB) gel. Becaplermin Gel Studies Group. *Am J Surg* 176(2A Suppl):74S-79S, 1998.
362. Wieman TJ, Smiell JM, Su Y. Efficacy and safety of a topical gel formulation of recombinant human platelet-derived growth factor-BB (becaplermin) in patients with chronic neuropathic diabetic ulcers. A phase III randomized placebo-controlled double-blind study. *Diabetes Care* 21:822-827, 1998.
363. Li V, Kung E, Li W. Molecular therapies for wounds: modalities for stimulating angiogenesis and granulation. In: *The Wound Management Manual*, pp 17-43, edited by B Lee, McGraw-Hill, New York, 2005.
364. Knighton DR, Ciresi KF, Fiegel VD, Austin LL, Butler EL. Classification and treatment of chronic nonhealing wounds: successful treatment with autologous platelet-derived wound healing factors (PDWHF). *Ann Surg* 204:332-330, 1986.
365. Bennett NT, Schultz GS. Growth factors and wound healing: Part II. Role in normal and chronic wound healing. *Am J Surg* 166:74-81, 1993.
366. Falanga V, Shen J. Growth factors, signal transduction and cellular responses. In: *Cutaneous Wound Healing*, pp 81-93, edited by V Falanga, Martin Dunitz Ltd, London, 2001.
367. Robson M, Smith P. Topical use of growth factors to enhance healing. In: *Cutaneous Wound Healing*, pp 379-398, edited by V Falanga. Martin Dunitz Ltd, London, 2001.
368. Hogge J, Krasner D, Nguyen HC, Harkless LB, Armstrong DG. The potential benefits of advanced therapeutic modalities in the treatment of diabetic foot wounds. *J Am Podiatr Med Assoc* 90:57-65, 2000.
369. Margolis DJ, Kantor J, Santanna J, Strom BL, Berlin JA. Effectiveness of platelet releasate for the treatment of diabetic neuropathic foot ulcers. *Diabetes Care* 24:483-488, 2001.
370. Bello YM, Falabella AF, Eaglstein WH. Tissue-engineered skin. Current status in wound healing. *Am J Clin Dermatol* 2:305-313, 2001.
371. Veves A, Falanga V, Armstrong DG, Sabolinski ML. Graftskin, a human skin equivalent, is effective in the management of noninfected neuropathic diabetic foot ulcers: a prospective randomized multicenter clinical trial. *Apligraf Diabetic Foot Ulcer Study*. *Diabetes Care* 24:290-295, 2001.
372. Gentzkow GD, Iwasaki SD, Hershon KS. Use of Dermagraft, a cultured human dermis, to treat diabetic foot ulcers. *Diabetes Care* 19:350-354, 1996.
373. Marston WA, Hanft J, Norwood P, Pollak R. The efficacy and safety of Dermagraft in improving the healing of chronic diabetic foot ulcers: results of a prospective randomized trial. *Diabetes Care* 26:1701-1705, 2003.
374. Brem H, Balledux J, Bloom T, Kerstein MD, Hollier L. Healing of diabetic foot ulcers and pressure ulcers with human skin equivalent: a new paradigm in wound healing. *Arch Surg* 135:627-634, 2000.
375. Edmonds M, Bates M, Doxford M, Gough A, Foster A. New treatments in ulcer healing and wound infection. *Diabetes Metab Res Rev* 16 (Suppl 1):S51-S54, 2000.
376. Falanga V, Sabolinski M. A bilayered living skin construct (APLIGRAF) accelerates complete closure of hard-to-heal venous ulcers. *Wound Repair Regen* 7:201-207, 1999.
377. Donohue K, Falanga V. Skin substitutes in acute and chronic wounds. In: *The Wound Management Manual*, pp 298-308, edited by B Lee, McGraw-Hill, New York, 2005.
378. Frykberg RG, Hodde JP. Biomaterial wound matrix from small intestine submucosa: review and efficacy in diabetic wound healing. In: *The Wound Management Manual*, pp 290-297, edited by B Lee, McGraw-Hill, New York, 2005.
379. Niezgodna JA, Van Gils CC, Frykberg RG, Hodde JP. Randomized clinical trial comparing OASIS Wound Matrix to Regranex Gel for diabetic ulcers. *Adv Skin Wound Care* 18:258-266, 2005.
380. Gottlieb M, Furman J. Successful Management and Surgical Closure of Chronic and Pathological Wounds Using Integra®. *J Burns Surg Wound Care monograph* Vol 3, 2004.
381. Brigido S. Healing Debilitating Diabetic Foot Ulcers. *Orthopedic Technology Review*, 6(6), Ascend Media, Los Angeles, 2004.
382. Bakker DJ. Hyperbaric oxygen therapy and the diabetic foot. *Diabetes Metab Res Rev* 16(Suppl 1):S55-S58, 2000.
383. Cianci P. Advances in the treatment of the diabetic foot: is there a role for adjunctive hyperbaric oxygen therapy? *Wound Repair Regen* 12:2-10, 2004.
384. Kranke P, Bennett M, Roedel-Wiedmann I. Hyperbaric oxygen therapy for chronic wounds (Cochrane Review). *Cochrane Database Syst Rev* 2, 2003.

385. Niinikoski J. Hyperbaric oxygen therapy of diabetic foot ulcers, tran-
scutaneous oxymetry in clinical decision making. *Wound Repair
Regen* 11:458-461, 2003.
386. Strauss MB. Hyperbaric oxygen as an intervention for managing
wound hypoxia: its role and usefulness in diabetic foot wounds. *Foot
Ankle Int* 26:15-18, 2005.
387. Zamboni WA, Wong HP, Stephenson LL, Pfeifer MA. Evaluation of
hyperbaric oxygen for diabetic wounds: a prospective study. *Undersea Hyperb Med* 24:175-179, 1997.
388. Wunderlich RP, Peters EJ, Lavery LA. Systemic hyperbaric oxygen
therapy: lower-extremity wound healing and the diabetic foot. *Diabetes Care* 23:1551-1555, 2000.
389. O'Meara S, Cullum N, Majid M, Sheldon T. Systematic reviews of
wound care management: (3) antimicrobial agents for chronic
wounds; (4) diabetic foot ulceration. *Health Technol Assess* 4:1-237,
2000.
390. Ennis WJ, Foremann P, Mozen N, Massey J, Conner-Kerr T, Meneses
P. Ultrasound therapy for recalcitrant diabetic foot ulcers: results of a
randomized, double-blind, controlled, multicenter study. *Ostomy
Wound Manage* 51:24-39, 2005.
391. Thawer HA, Houghton PE. Effects of ultrasound delivered through a
mist of saline to wounds in mice with diabetes mellitus. *J Wound Care*
13:171-176, 2004.
392. Torke K. Healing wounds through ultrasound. *Podiatry Management*,
130-134, Nov-Dec 2004.
393. Armstrong DG, Attinger CE, Boulton AJ, Frykberg RG, Kirsner RS,
Lavery LA, Mills JL. Guidelines regarding negative wound therapy
(NPWT) in the diabetic foot. *Ostomy Wound Manage* 50(4B Suppl):3S-27S, 2004.
394. Armstrong DG, Lavery LA, Abu-Rumman P, Espensen EH, Vazquez
JR, Nixon BP, Boulton AJ. Outcomes of subatmospheric pressure
dressing therapy on wounds of the diabetic foot. *Ostomy Wound
Manage* 48:64-68, 2002.
395. DeFranzo AJ, Argenta LC, Marks MW, Molnar JA, David LR, Webb
LX, Ward WG, Teasdall RG. The use of vacuum-assisted closure
therapy for the treatment of lower-extremity wounds with exposed
bone. *Plast Reconstr Surg* 108:1184-1191, 2001.
396. Espensen EH, Nixon BP, Lavery LA, Armstrong DG. Use of
subatmospheric (VAC) therapy to improve bioengineered tissue
grafting in diabetic foot wounds. *J Am Podiatr Med Assoc*
92:395-397, 2002.
397. McCallon SK, Knight CA, Valiulus JP, Cunningham MW, McCulloch
JM, Farinas LP. Vacuum-assisted closure versus saline-moistened
gauze in the healing of postoperative diabetic foot wounds. *Ostomy
Wound Manage* 46:28-32, 34, 2000.
398. Argenta LC, Morykwas MJ. Vacuum-assisted closure: a new method
for wound control and treatment: clinical experience. *Ann Plast Surg*
38:563-576, discussion 577, 1997.
399. Morykwas MJ, Argenta LC, Shelton-Brown EI, McGuirt W. Vacuum-
assisted closure: a new method for wound control and treatment:
animal studies and basic foundation. *Ann Plast Surg* 38:553-562,
1997.
400. Hess CL, Howard MA, Attinger CE. A review of mechanical adjuncts
in wound healing: hydrotherapy, ultrasound, negative pressure
therapy, hyperbaric oxygen, and electrostimulation. *Ann Plast Surg*
51:210-218, 2003.
401. Niezgoda JA, Schibly B. Negative-pressure wound therapy (vacuum-
assisted closure). In: *The Wound Management Manual*, pp 65-71,
edited by B Lee, McGraw-Hill, New York, 2005.
402. DeFranzo AJ, Marks MW, Argenta LC, Genecov DG. Vacuum-
assisted closure for the treatment of degloving injuries. *Plast Reconstr
Surg* 104:2145-2148, 1999.
403. Saltzman CL. Salvage of diffuse ankle osteomyelitis by single-stage
resection and circumferential frame compression arthrodesis. *Iowa
Orthop J* 25:47-52, 2005.
404. Webb LX. New techniques in wound management: vacuum-assisted
wound closure. *J Am Acad Orthop Surg* 10:303-311, 2002.
405. Yuan-Innes MJ, Temple CL, Lacey MS. Vacuum-assisted wound
closure: a new approach to spinal wounds with exposed hardware.
Spine 26:E30-E33, 2001.
406. Blackburn JH, 2nd, Boemi L, Hall WW, Jeffords K, Hauck RM,
Banducci DR, Graham WP, 3rd. Negative-pressure dressings as a
bolster for skin grafts. *Ann Plast Surg* 40:453-457, 1998.
407. Greer SE, Longaker MT, Margiotta M, Mathews AJ, Kasabian A. The
use of subatmospheric pressure dressing for the coverage of radial
forearm free flap donor-site exposed tendon complications. *Ann Plast
Surg* 43:551-554, 1999.
408. Scherer LA, Shiver S, Chang M, Meredith JW, Owings JT. The
vacuum assisted closure device: a method of securing skin grafts and
improving graft survival. *Arch Surg* 137:930-933, discussion
933-934, 2002.
409. Venturi ML, Attinger CE, Mesbahi AN, Hess CL, Graw KS.
Mechanisms and clinical applications of the vacuum-assisted closure
(VAC) device: a review. *Am J Clin Dermatol* 6:185-194, 2005.
410. Armstrong DG, Lavery LA. Negative pressure wound therapy after
partial diabetic foot amputation: a multicentre, randomised controlled
trial. *Lancet* 366:1704-1710, 2005.
411. Kloth LC, McCulloch JM. Promotion of wound healing with
electrical stimulation. *Adv Wound Care* 9:42-45, 1996.
412. McCulloch JM. Electrical Stimulation in Wound Repair. In: *The
Wound Management Manual*, pp 80-89, edited by B Lee, McGraw-
Hill, New York, 2005.
413. Lundeberg TCM, Eriksson V, Malm M. Electrical nerve stimulation
improves healing of diabetic ulcers. *Annals of Plastic Surgery*
29:328-331, 1992.
414. Armstrong DG, Nguyen HC, Lavery LA, van Schie CH, Boulton
AJM, Harkless LB. Offloading the diabetic foot wound: a randomized
clinical trial. *Diabetes Care* 24:1019-1022, 2001.
415. Armstrong DG, Lavery LA, Nixon BP, Boulton AJM. It is not what
you put on, but what you take off: techniques for debriding and
offloading the diabetic foot wound. *Clin Infect Dis* 39:S92-99, 2004.
416. Brem H, Sheehan P, Boulton AJ. Protocol for treatment of diabetic
foot ulcers. *Am J Surg* 187:1S-10S, 2004.
417. Armstrong DG, Lavery LA, Wu S, Boulton AJ. Evaluation of remov-
able and irremovable cast walkers in the healing of diabetic foot
wounds: a randomized controlled trial. *Diabetes Care* 28:551-554,
2005.
418. Cavanagh PR, Lipsky BA, Bradbury AW, Botek G. Treatment for
diabetic foot ulcers. *Lancet* 366:1725-1735, 2005.
419. Zimny S, Schatz H, Pfohl U. The effects of applied felted foam on
wound healing and healing times in the therapy of neuropathic
diabetic foot ulcers. *Diabet Med* 20:622-625, 2003.
420. Birke JA, Pavich MA, Patout Jr CA, Horswell R. Comparison of
forefoot ulcer healing using alternative off-loading methods in
patients with diabetes mellitus. *Adv Skin Wound Care* 15:210-215,
2002.
421. Zimny S, Reinsch B, Schatz H, Pfohl M. Effects of felted foam on
plantar pressures in the treatment of neuropathic diabetic foot ulcers.
Diabetes Care 24:2153-2154, 2001.
422. Katz IA, Harlan A, Miranda-Palma B, Prieto-Sanchez L, Armstrong
DG, Bowker JH, Mizel MS, Boulton AJM. A randomized trial of two
irremovable offloading devices in the management of neuropathic
diabetic foot ulcers. *Diabetes Care* 28:555-559, 2005.
423. Newman LG, Waller J, Palestro CJ, Schwartz M, Klein MJ, Hermann
G, Harrington E, Harrington M, Roman SH, Stagnaro-Green A.
Unsuspected osteomyelitis in diabetic foot ulcers. diagnosis and
monitoring by leukocyte scanning with indium in 111 oxyquinoline.
JAMA 266:1246-1251, 1991.

424. Vileikyte L, Leventhal H, Gonzalez JS, Peyrot M, Rubin RR, Ulbrecht JS, Garrow A, Waterman C, Cavanagh PR, Boulton AJ. Diabetic peripheral neuropathy and depressive symptoms: the association revisited. *Diabetes Care* 28:2378-2383, 2005.
425. Armstrong DG, Lavery LA, Kimbriel HR, Nixon BP, Boulton AJ. Activity patterns of patients with diabetic foot ulceration: patients with active ulceration may not adhere to a standard pressure off-loading regimen. *Diabetes Care* 26:2595-2597, 2003.
426. Nwomeh BC, Yager DR, Cohen IK. Physiology of the chronic wound. *Clin Plast Surg* 25:341-356, 1998.
427. Reiber GE. The epidemiology of diabetic foot problems. *Diabet Med* 13(Suppl 1):S6-S11, 1996.
428. Sapico FL, Bessman AN. Diabetic foot infections. In: *High Risk Foot in Diabetes Mellitus*, pp 197-211, edited by RG Frykberg, Churchill Livingstone Inc., New York, 1991.
429. Frykberg RG. Diabetic foot infections: evaluation and management. *Adv Wound Care* 11:329-331, 1998.
430. Karchmer AW, Gibbons GW. Foot infections in diabetes: evaluation and management. *Curr Clin Top Infect Dis* 14:1-22, 1994.
431. Edelson GW, Armstrong DG, Lavery LA, Caicco G. The acutely infected diabetic foot is not adequately evaluated in an inpatient setting. *J Am Podiatr Med Assoc* 87:260-265, 1997.
432. Wheat LJ, Allen SD, Henry M, Kernek CB, Siders JA, Kuebler T, Fineberg N, Norton J. Diabetic foot infections. Bacteriologic analysis. *Arch Intern Med* 146:1935-1940, 1986.
433. Mackowiak PA, Jones SR, Smith JW. Diagnostic value of sinus-tract cultures in chronic osteomyelitis. *JAMA* 239:2772-2775, 1978.
434. Slater RA, Lazarovitch T, Boldur I, Ramot Y, Buchs A, Weiss M, Hindi A, Rapoport MJ. Swab cultures accurately identify bacterial pathogens in diabetic foot wounds not involving bone. *Diabet Med* 21:705-709, 2004.
435. Jeffcoate WJ, Lipsky BA. Controversies in diagnosing and managing osteomyelitis of the foot in diabetes. *Clin Infect Dis* 39 (Suppl 2):S115-S122, 2004.
436. Zuluaga AF, Galvis W, Saldarriaga JG, Agudelo M, Salazar BE, Vesga O. Etiologic diagnosis of chronic osteomyelitis: a prospective study. *Arch Intern Med* 166:95-100, 2006.
437. Mont MA, Waldman BJ, Hungerford DS. Evaluation of preoperative cultures before second-stage reimplantation of a total knee prosthesis complicated by infection. A comparison-group study. *J Bone Joint Surg Am* 82A:1552-1557, 2000.
438. Lipsky BA, Itani K, Norden C. Treating foot infections in diabetic patients: a randomized, multicenter, open-label trial of linezolid versus ampicillin-sulbactam/amoxicillin-clavulanate. *Clin Infect Dis* 38:17-24, 2004.
439. Wakefield MC, Kan VL, Arora S, Weiswasser JM, Sidawy AN. Nonoperative management of diabetic foot infections. In: *Diabetic Foot: Lower Extremity Arterial Disease and Limb Salvage*, pp 43-48, edited by AN Sidawy, Lippincott Williams & Wilkins, Philadelphia, 2006.
440. Hartemann-Heurtier A, Robert J, Jacqueminet S, Ha Van G, Golmard JL, Jarlier V, Grimaldi A. Diabetic foot ulcer and multidrug-resistant organisms: risk factors and impact. *Diabet Med* 21:710-715, 2004.
441. Watkins PJ, Edmonds ME. Sympathetic nerve failure in diabetes. *Diabetologia* 25:73-77, 1983.
442. Yuh WT, Corson JD, Baraniewski HM, Rezai K, Shamma AR, Kathol MH, Sato Y, el-Khoury GY, Hawes DR, Platz CE, et al. Osteomyelitis of the foot in diabetic patients: evaluation with plain film, 99mTc-MDP bone scintigraphy, and MR imaging. *AJR Am J Roentgenol* 152:795-800, 1989.
443. Morrison WB, Ledermann HP. Work-up of the diabetic foot. *Radiol Clin North Am* 40:1171-1192, 2002.
444. Lipsky BA, Pecoraro RE, Larson SA, Hanley ME, Ahroni JH. Outpatient therapy of diabetic foot infection. *Arch Intern Med* 150:790-797, 1990.
445. Tan JS. Foot Infections in Diabetic Patients. *Curr Infect Dis Rep* 6:377-379, 2004.
446. Williams DT, Hilton JR, Harding KG. Diagnosing foot infection in diabetes. *Clin Infect Dis* 39 Suppl 2:S83-86, 2004.
447. Dang CN, Prasad YD, Boulton AJ, Jude EB. Methicillin-resistant *Staphylococcus aureus* in the diabetic foot clinic: a worsening problem. *Diabet Med* 20:159-161, 2003.
448. Tentolouris N, Jude EB, Smirnof I, Knowles EA, Boulton AJ. Methicillin-resistant *Staphylococcus aureus*: an increasing problem in a diabetic foot clinic. *Diabet Med* 16:767-771, 1999.
449. Edmonds M. Infection in the neuroischemic foot. *Int J Low Extrem Wounds* 4:145-153, 2005.
450. Lipsky BA, Berendt AR. Principles and practice of antibiotic therapy of diabetic foot infections. *Diabetes Metab Res Rev* 16(Suppl 1): S42-S46, 2000.
451. Ansari MA, Shukla VK. Foot infections. *Int J Low Extrem Wounds* 4:74-87, 2005.
452. International Working Group on the Diabetic Foot. International Consensus on the Diabetic Foot. International Working Group on the Diabetic Foot. International Diabetes Federation, Noordwijkerhout, Netherlands, 2003.
453. Armstrong DG, Lavery LA, Sariaya M, Ashry H. Leukocytosis is a poor indicator of acute osteomyelitis of the foot in diabetes mellitus. *J Foot Ankle Surg* 35:280-283, 1996.
454. Leibovici L, Yehezkelli Y, Porter A, Regev A, Krauze I, Harell D. Influence of diabetes mellitus and glycaemic control on the characteristics and outcome of common infections. *Diabet Med* 13:457-463, 1996.
455. Lipsky BA, Pecoraro RE, Wheat LJ. The diabetic foot: soft tissue and bone infection. *Infect Dis. Clin. N. Am* 4:409-432, 1990.
456. Dickhaut SC, DeLee JC, Page CP. Nutritional status: importance in predicting wound-healing after amputation. *J Bone Joint Surg* 66A:71-75, 1984.
457. Leichter SB, Allweiss P, Harley J, Clay J, Kuperstein-Chase J, Sweeney GJ, Kolkin J. Clinical characteristics of diabetic patients with serious pedal infections. *Metabolism* 37(2 Suppl 1):22-24, 1988.
458. Apelqvist J, Larsson J. What is the most effective way to reduce incidence of amputation in the diabetic foot? *Diabetes Metab Res Rev* 16(Suppl 1):S75-S83, 2000.
459. Edmonds ME. Experience in a multidisciplinary diabetic foot clinic. In: *The Foot in Diabetes*, pp 121-131, edited by H Connor, AJM Boulton, and JD Ward JD, John Wiley and Sons, Chichester, 1987.
460. Gottrup F. Management of the diabetic foot: surgical and organisational aspects. *Horm Metab Res* 37 (Suppl 1):69-75, 2005.
461. Hartemann-Heurtier A, Ha Van G, Danan JP, Koskas F, Jacqueminet S, Golmard JL, Grimaldi A. Outcome of severe diabetic foot ulcers after standardised management in a specialised unit. *Diabetes Metab* 28:477-484, 2002.
462. Tan JS, Friedman NM, Hazelton-Miller C, Flanagan JP, File TM, Jr. Can aggressive treatment of diabetic foot infections reduce the need for above-ankle amputation? *Clin Infect Dis* 23:286-291, 1996.
463. van Baal JG. Surgical treatment of the infected diabetic foot. *Clin Infect Dis* 39(Suppl 2):S123-S128, 2004.
464. Scher KS, Steele FJ. The septic foot in patients with diabetes. *Surgery* 104:661-666, 1988.
465. Armstrong DG, Liswood PJ, Todd WF. 1995 William J. Stickle Bronze Award. Prevalence of mixed infections in the diabetic pedal wound. A retrospective review of 112 infections [published erratum appears in *J Am Podiatr Med Assoc* 1995 Nov85(11)695]. *J Am Podiatr Med Assoc* 85:533-537, 1995.

466. Lipsky BA, Armstrong DG, Citron DM, Tice AD, Morgenstern DE, Abramson MA. Ertapenem versus piperacillin/tazobactam for diabetic foot infections (SIDESTEP): prospective, randomised, controlled, double-blinded, multicentre trial. *Lancet* 366:1695-1703, 2005.
467. Caputo GM. The rational use of antimicrobial agents in diabetic foot infection. In: *The Foot in Diabetes*, 3rd ed, pp 143-151, edited by AJM Boulton, H Connor, and PR Cavanagh, John Wiley and Sons, Chichester; 2000.
468. Lipsky BA, Baker PD, Landon GC, Fernau R. Antibiotic therapy for diabetic foot infections: comparison of two parenteral-to-oral regimens. *Clin Infect Dis* 24:643-648, 1997.
469. Lew DP, Waldvogel FA. Osteomyelitis. *Lancet* 364:369-379, 2004.
470. Ha Van G, Siney H, Danan JP, Sachon C, Grimaldi A. Treatment of osteomyelitis in the diabetic foot: contribution of conservative surgery. *Diabetes Care* 19:1257-1260, 1996.
471. Walenkamp GH, Kleijn LL, de Leeuw M. Osteomyelitis treated with gentamicin-PMMA beads: 100 patients followed for 1-12 years. *Acta Orthop Scand* 69:518-522, 1998.
472. Roeder B, Van Gils CC, Maling S. Antibiotic beads in the treatment of diabetic pedal osteomyelitis. *J Foot Ankle Surg* 39:124-130, 2000.
473. Armstrong DG, Findlow AH, Oyibo SO, Boulton AJ. The use of absorbable antibiotic-impregnated calcium sulphate pellets in the management of diabetic foot infections. *Diabet Med* 18:942-943, 2001.
474. Saltzman CL, Hagy ML, Zimmerman B, Estin M, Cooper R. How effective is intensive nonoperative initial treatment of patients with diabetes and Charcot arthropathy of the feet? *Clin Orthop Relat Res* (435):185-190, 2005.
475. Brower AC, Allman RM. Pathogenesis of the neurotrophic joint: neurotraumatic vs. neurovascular. *Radiology* 139:349-354, 1981.
476. Edelman SV, Kosofsky EM, Paul RA, Kozak GP. Neuro-osteoarthritis (Charcot's joint) in diabetes mellitus following revascularization surgery. Three case reports and a review of the literature. *Arch Intern Med* 147:1504-1508, 1987.
477. Johnson JT. Neuropathic fractures and joint injuries. Pathogenesis and rationale of prevention and treatment. *J Bone Joint Surg Am* 49:1-30, 1967.
478. Frykberg RG, Zgonis T. The diabetic Charcot foot. In: *Diabetic Foot: Lower Extremity Arterial Disease and Limb Salvage*, pp 117-128, edited by AN Sidawy, Lippincott Williams & Wilkins, Philadelphia, 2006.
479. Jeffcoate WJ. Abnormalities of vasomotor regulation in the pathogenesis of the acute charcot foot of diabetes mellitus. *Int J Low Extrem Wounds* 4:133-137, 2005.
480. Young MJ, Marshall A, Adams JE, Selby PL, Boulton AJ. Osteopenia, neurological dysfunction, and the development of Charcot neuroarthropathy. *Diabetes Care* 18:34-38, 1995.
481. Frykberg RG, Kozak GP. Neuropathic arthropathy in the diabetic foot. *Am Fam Physician* 17:105, 1978.
482. Stevens MJ, Edmonds ME, Foster AV, Watkins PJ. Selective neuropathy and preserved vascular responses in the diabetic Charcot foot. *Diabetologia* 35:148-154, 1992.
483. Petrova NL, Foster AV, Edmonds ME. Calcaneal bone mineral density in patients with Charcot neuropathic osteoarthropathy: differences between Type 1 and Type 2 diabetes. *Diabet Med* 22:756-761, 2005.
484. Petrova NL, Foster AV, Edmonds ME. Difference in presentation of charcot osteoarthropathy in type 1 compared with type 2 diabetes. *Diabetes Care* 27:1235-1236, 2004.
485. Jeffcoate W. Vascular calcification and osteolysis in diabetic neuropathy-is RANK-L the missing link? *Diabetologia* 47:1488-1492, 2004.
486. Jeffcoate WJ, Game F, Cavanagh PR. The role of proinflammatory cytokines in the cause of neuropathic osteoarthropathy (acute Charcot foot) in diabetes. *Lancet* 366:2058-2061, 2005.
487. Hofbauer LC, Kuhne CA, Viereck V. The OPG/RANKL/RANK system in metabolic bone diseases. *J Musculoskelet Neuronal Interact* 4:268-275, 2004.
488. Hofbauer LC, Schoppet M. Clinical implications of the osteoprotegerin/RANKL/RANK system for bone and vascular diseases. *JAMA* 292:490-495, 2004.
489. Armstrong DG, Peters EJ. Charcot's arthropathy of the foot. *J Am Podiatr Med Assoc* 92:390-394, 2002.
490. Slater RA, Ramot Y, Buchs A, Rapoport MJ. The diabetic Charcot foot. *Isr Med Assoc J* 6:280-283, 2004.
491. Banks AS, McGlamry ED. Charcot Foot. *J Am Podiatr Med Assoc* 79:213-217, 1989.
492. Hopfner S, Krolak C, Kessler S, Tiling R, Brinkbaumer K, Hahn K, Dresel S. Preoperative imaging of Charcot neuroarthropathy in diabetic patients: comparison of ring PET, hybrid PET, and magnetic resonance imaging. *Foot Ankle Int* 25:890-895, 2004.
493. Caputo GM, Ulbrecht J, Cavanagh PR, Juliano P. The Charcot foot in diabetes: six key points. *Am Fam Physician* 57:2705-2710, 1998.
494. Chantelau E. The perils of procrastination: effects of early vs. delayed detection and treatment of incipient Charcot fracture. *Diabet Med* 22:1707-1712, 2005.
495. Eichenholz SN. In *Charcot Joints*, pp 1-20, Charles C. Thomas, Springfield, 1966.
496. Schauwecker DS. The scintigraphic diagnosis of osteomyelitis. *Am J Roentgenol* 158:9, 1992.
497. Gough A, Abbraha H, Li F, Purewal TS, Foster AV, Watkins PJ, Moniz C, Edmonds ME. Measurement of markers of osteoclast and osteoblast activity in patients with acute and chronic diabetic Charcot neuroarthropathy. *Diabet Med* 14:527-531, 1997.
498. Jude EB, Selby PL, Burgess J, Lilleystone P, Mawer EB, Page SR, Donohoe M, Foster AV, Edmonds ME, Boulton AJ. Bisphosphonates in the treatment of Charcot neuroarthropathy: a double-blind randomised controlled trial. *Diabetologia* 44:2032-2037, 2001.
499. Pitocco D, Ruotolo V, Caputo S, Mancini L, Collina CM, Manto A, Caradonna P, Ghirlanda G. Six-month treatment with alendronate in acute Charcot neuroarthropathy: a randomized controlled trial. *Diabetes Care* 28:1214-1215, 2005.
500. Sella EJ, Barrette C. Staging of Charcot neuroarthropathy along the medial column of the foot in the diabetic patient. *J Foot Ankle Surg* 38:34-40, 1999.
501. Yu GV, Hudson JR. Evaluation and treatment of stage 0 Charcot's neuroarthropathy of the foot and ankle. *J Am Podiatr Med Assoc* 92:210-220, 2002.
502. Shibata T, Tada K, Hashizume C. The results of arthrodesis of the ankle for leprotic neuroarthropathy. *J Bone Joint Surg* 72A:749-756, 1990.
503. Schon LC, Marks RM. The management of neuroarthropathic fracture-dislocations in the diabetic patient. *Orthop Clin North Am* 26:375-392, 1995.
504. Schon LC, Easley ME, Weinfeld SB. Charcot neuroarthropathy of the foot and ankle. *Clin Orthop Relat Res* (349):116-131, 1998.
505. Brodsky JW, Rouse AM. Exostectomy for symptomatic bony prominences in diabetic Charcot feet. *Clin Orthop Relat Res* 296:21-26, 1993.
506. Brodsky JW. The diabetic foot. In: *Surgery of the Foot and Ankle*, pp 877-958, edited by RA Mann and M Coughlin, CV Mosby, St. Louis, 1992.
507. Sanders L, Frykberg R. Charcot foot. In: *The Diabetic Foot*, 5th ed, pp 149-180, edited by ME Levin, LW O'Neal, and JH Bowker, Mosby-Yearbook, Inc., St. Louis, 1993.

508. Pinzur MS, Shields N, Trepman E, Dawson P, Evans A. Current practice patterns in the treatment of Charcot foot. *Foot Ankle Int* 21:916-920, 2000.
509. Lesko P, Maurer RC. Talonavicular dislocations and midfoot arthropathy in neuropathic diabetic feet. Natural course and principles of treatment. *Clin Orthop Relat Res* (240):226-231, 1989.
510. Pinzur M. Surgical versus accommodative treatment for Charcot arthropathy of the midfoot. *Foot Ankle Int* 25:545-549, 2004.
511. Pinzur MS, Sage R, Stuck R, Kaminsky S, Zmuda A. A treatment algorithm for neuropathic (Charcot) midfoot deformity. *Foot Ankle* 14:189-197, 1993.
512. Myerson MS, Henderson MR, Saxby T, Short KW. Management of midfoot diabetic neuroarthropathy. *Foot Ankle Int* 15:233-241, 1994.
513. Giurini JM. Applications and use of in-shoe orthoses in the conservative management of Charcot foot deformity. *Clin Podiatr Med Surg* 11:271-278, 1994.
514. Morgan JM, Biehl WC, 3rd, Wagner FW, Jr. Management of neuropathic arthropathy with the Charcot restraint orthotic walker. *Clin Orthop Relat Res* (296):58-63, 1993.
515. Mehta JA, Brown C, Sargeant N. Charcot restraint orthotic walker. *Foot Ankle Int* 19:619-623, 1998.
516. Armstrong DG, Short B, Nixon BP, Boulton AJM. Technique for fabrication of an "instant" total contact cast for treatment of neuropathic diabetic foot ulcers. *J Amer Podiatr Med Assoc* 92:405-408, 2002.
517. Saltzman CL, Johnson KA, Goldstein RH, Donnelly RE. The patellar tendon-bearing brace as treatment for neurotrophic arthropathy: a dynamic force monitoring study. *Foot Ankle* 13:14-21, 1992.
518. Guse ST, Alvine FG. Treatment of diabetic foot ulcers and Charcot neuroarthropathy using the patellar tendon-bearing brace. *Foot Ankle Int* 18:675-677, 1997.
519. Anderson JJ, Woelffer KE, Holtzman JJ, Jacobs AM. Bisphosphonates for the treatment of Charcot neuroarthropathy. *J Foot Ankle Surg* 43:285-289, 2004.
520. Frykberg RG. Charcot foot: an update on pathogenesis and management. In: *The Foot in Diabetes*, 3rd ed, pp 235-260, edited by AJM Boulton, H Connors H and PR Cavanagh PR, John Wiley, London, 2000.
521. Selby PL, Young MJ, Boulton AJ. Bisphosphonates: a new treatment for diabetic Charcot neuroarthropathy? *Diabetic Medicine* 11:28-31, 1994.
522. Hanft JR, Goggin JP, Landsman A, Surprenant M. The role of combined magnetic field bone growth stimulation as an adjunct in the treatment of neuroarthropathy/Charcot joint: an expanded pilot study. *J Foot Ankle Surg* 37:510-515, discussion 550-511, 1998.
523. Bier RR, Estersohn HS. A new treatment for Charcot joint in the diabetic foot. *J Am Podiatr Med Assoc* 77:63-69, 1987.
524. Grady JF, O'Connor KJ, Axe TM, Zager EJ, Dennis LM, Brenner LA. Use of electrostimulation in the treatment of diabetic neuroarthropathy. *J Am Podiatr Med Assoc* 90:287-294, 2000.
525. Strauss E, Gonya G. Adjunct low intensity ultrasound in Charcot neuroarthropathy. *Clin Orthop Relat Res* (349):132-138, 1998.
526. Jolly GP, Zgonis T, Polyzois V. External fixation in the management of Charcot neuroarthropathy. *Clin Podiatr Med Surg* 20:741-756, 2003.
527. Pinzur MS. Benchmark analysis of diabetic patients with neuropathic (Charcot) foot deformity. *Foot Ankle Int* 20:564-567, 1999.
528. Fabrin J, Larsen K, Holstein PE. Long-term follow-up in diabetic Charcot feet with spontaneous onset. *Diabetes Care* 23:796-800, 2000.
529. Newman JH. Spontaneous dislocation in diabetic neuropathy. A report of six cases. *J Bone Joint Surg Br* 61-B:484-488, 1979.
530. Simon SR, Tejwani SG, Wilson DL, Santner TJ, Denniston NL. Arthrodesis as an early alternative to nonoperative management of charcot arthropathy of the diabetic foot. *J Bone Joint Surg Am* 82A:939-950, 2000.
531. Baravarian B, Van Gils CC. Arthrodesis of the Charcot foot and ankle. *Clin Podiatr Med Surg North Am* 21:271-289, 2004.
532. Rosenblum BI, Giurini JM, Miller LB, Chrzan JS, Habershaw GM. Neuropathic ulcerations plantar to the lateral column in patients with Charcot foot deformity: a flexible approach to limb salvage. *J Foot Ankle Surg* 36:360-363, 1997.
533. Caravaggi C, Cimmino M, Caruso S, Dalla Noce S. Intramedullary compressive nail fixation for the treatment of severe charcot deformity of the ankle and rear foot. *J Foot Ankle Surg* 45:20-24, 2006.
534. Sayner LR, Rosenblum BI. External fixation for Charcot foot reconstruction. *Curr Surg* 62:618-623, 2005.
535. Pinzur MS, Noonan T. Ankle arthrodesis with a retrograde femoral nail for Charcot ankle arthropathy. *Foot Ankle Int* 26(7):545-549, 2005.
536. Cooper PS. Application of external fixators for management of Charcot deformities of the foot and ankle. *Foot Ankle Clin* 7:207-254, 2002.
537. Resch S. Corrective surgery in diabetic foot deformity. *Diabetes Metab Res Rev* 20(Suppl 1):S34-S36, 2004.
538. Wang JC. Use of external fixation in the reconstruction of the Charcot foot and ankle. *Clin Podiatr Med Surg* 20:97-117, 2003.
539. Wang JC, Le AW, Tsukuda RK. A new technique for Charcot's foot reconstruction. *J Am Podiatr Med Assoc* 92:429-436, 2002.
540. Mendicino RW, Catanzariti AR, Saltrick KR, Dombek MF, Tullis BL, Statler TK, Johnson BM. Tibiotalocalcaneal arthrodesis with retro grade intramedullary nailing. *J Foot Ankle Surg* 43:82-86, 2004.
541. Myerson MS, Alvarez RG, Lam PW. Tibiocalcaneal arthrodesis for the management of severe ankle and hindfoot deformities. *Foot Ankle Int* 21:643-650, 2000.
542. Myerson MS, Edwards WH. Management of neuropathic fractures in the foot and ankle. *J Am Acad Orthop Surg* 7:8-18, 1999.
543. Stefansky SA, Rosenblum BI. The Charcot foot: a clinical challenge. *Int J Low Extrem Wounds* 4:183-187, 2005.
544. Nicklas BJ. Prophylactic surgery in the diabetic foot. In: *The High Risk Foot in Diabetes Mellitus*, pp 537-538, edited by RG Frykberg, Churchill Livingstone, New York, 1991.
545. Baravarian B, Menendez MM, Weinheimer DJ, Lowery C, Kosanovich R, Vidt L. Subtotal calcaneotomy for the treatment of large heel ulceration and calcaneal osteomyelitis in the diabetic patient. *J Foot Ankle Surg* 38:194-202, 1999.
546. Bollinger M, Thordarson DB. Partial calcaneotomy: an alternative to below knee amputation. *Foot Ankle Int* 23:927-932, 2002.
547. Catanzariti AR, Blich EL, Karlock LG. Elective foot and ankle surgery in the diabetic patient. *J Foot Ankle Surg* 35:23-41, 1995.
548. Catanzariti AR, Mendicino R, Haverstock B. Osteotomy for diabetic neuroarthropathy involving the midfoot. *J Foot Ankle Surg* 39:291-300, 2000.
549. Frykberg RG, Piaggese A, Donaghue VM, Schipani E, Habershaw GM, Navalesi R, Veves A. Difference in treatment of foot ulcerations in Boston, USA and Pisa, Italy. *Diabetes Res Clin Pract* 35:21-26, 1997.
550. Giacalone VF, Krych SM, Harkless LB. The university of texas health science center at San Antonio: experience with foot surgery in diabetics. *J Foot Ankle Surg* 33:590-597, 1994.
551. Giurini JM, Habershaw GM, Chrzan JS. Panmetatarsal head resection in chronic neuropathic ulceration. *J Foot Surg* 26:249-252, 1987.

552. Holstein P, Lohmann M, Bitsch M, Jorgensen B. Achilles tendon lengthening, the panacea for plantar forefoot ulceration? *Diabetes Metab Res Rev* 20(Suppl 1):S37-S40, 2004.
553. Laing P. Prophylactic orthopaedic surgery—is there a role? In: *The Foot in Diabetes*, 3rd ed, pp 261-277, edited by AJM Boulton, H Connor, and PR Cavanagh, John Wiley & Sons, Chichester, 2002.
554. Piaggese A, Schipani E, Campi F, Romanelli M, Baccetti F, Arvia C, Navalesi R. Conservative surgical approach versus non-surgical management for diabetic neuropathic foot ulcers: a randomized trial. *Diabet Med* 15:412-417, 1998.
555. Rosenblum BI, Giurini JM, Chrzan JS, Habershaw GM. Preventing loss of the great toe with the hallux interphalangeal joint arthroplasty. *J Foot Ankle Surg* 33:557-560, 1994.
556. Ruth Chaytor E. Surgical treatment of the diabetic foot. *Diabetes Metab Res Rev* 16(Suppl 1):S66-S69, 2000.
557. Tillo TH, Giurini JM, Habershaw GM, Chrzan JS, Rowbotham JL. Review of metatarsal osteotomies for the treatment of neuropathic ulcerations. *J Am Podiatr Med Assoc* 80:211-217, 1990.
558. Blume PA, Paragas LK, Sumpio BE, Attinger CE. Single-stage surgical treatment of noninfected diabetic foot ulcers. *Plast Reconstr Surg* 109:601-609, 2002.
559. Attinger CE, Ducic I, Cooper P, Zelen CM. The role of intrinsic muscle flaps of the foot for bone coverage in foot and ankle defects in diabetic and nondiabetic patients. *Plast Reconstr Surg* 110:1047-1054, discussion 1055-1047, 2002.
560. Colen LB, Replogle SL, Mathes SJ. The V-Y plantar flap for reconstruction of the forefoot. *Plast Reconstr Surg* 81:220-228, 1988.
561. Roukis TS, Zgonis T. Modifications of the great toe fibular flap for diabetic forefoot and toe reconstruction. *Ostomy Wound Manage* 51:30-32, 34, 36 passim, 2005.
562. Roukis TS, Zgonis T. Skin grafting techniques for soft-tissue coverage of diabetic foot and ankle wounds. *J Wound Care* 14:173-176, 2005.
563. Jolly GP, Zgonis T, Blume P. Soft tissue reconstruction of the diabetic foot. *Clin Podiatr Med Surg* 20:757-781, 2003.
564. Ger R. Wound management by constant tension approximation. *Ostomy Wound Manage* 42:40-46, 1996.
565. Ger R, Schessel ES. Prevention of major amputations in nonischemic lower limb lesions. *J Am Coll Surg* 201:898-905, 2005.
566. Eginton MT, Brown KR, Seabrook GR, Towne JB, Cambria RA. A prospective randomized evaluation of negative-pressure wound dressings for diabetic foot wounds. *Ann Vasc Surg* 17:645-649, 2003.
567. Armstrong DG, Lavery LA, Stern S, Harkless LB. Is prophylactic diabetic foot surgery dangerous? *J Foot Ankle Surg* 35:585-589, 1996.
568. Barry DC, Sabacinski KA, Habershaw GM, Giurini JM, Chrzan JS. Tendo Achillis procedures for chronic ulcerations in diabetic patients with transmetatarsal amputations. *J Am Podiatr Med Assoc* 83:96-100, 1993.
569. Giurini JM, Rosenblum BI. The role of foot surgery in patients with diabetes. *Clin Podiatr Med Surg* 12:119-127, 1995.
570. Nishimoto GS, Attinger CE, Cooper PS. Lengthening the Achilles tendon for the treatment of diabetic plantar forefoot ulceration. *Surg Clin North Am* 83:707-726, 2003.
571. Mayfield JA, Reiber GE, Sanders LJ, Janisse D, Pogach LM. Preventive foot care in people with diabetes [see comments]. *Diabetes Care* 21:2161-2177, 1998.
572. Attinger C, Venturi M, Kim K, Ribiero C. Maximizing length and optimizing biomechanics in foot amputations by avoiding cookbook recipes for amputation. *Semin Vasc Surg* 16:44-66, 2003.
573. Sage R, Doyle D. Surgical treatment of diabetic foot ulcers: a review of forty-eight cases. *J Foot Surg* 23:102-111, 1984.
574. Mitchell ME. Lower extremity major amputations. In: *Diabetic Foot: Lower Extremity Arterial Disease and Limb Salvage*, pp 341-350, edited by AN Sidawy, Lippincott Williams & Wilkins, Philadelphia, 2006.
575. Sage RA, Pinzur M, Stuck R, Napolitano C. Amputations and Rehabilitation. In: *The Diabetic Foot: Medical and Surgical Management*, pp 317-344, edited by A Veves, J Giurini, and FW LoGerfo, Humana Press, Inc., Totowa, NJ, 2002.
576. Waters RL, Perry J, Antonelle D, Hislop H. Energy cost of walking of amputees: the influence of level of amputation. *J Bone Joint Surg* 58A:42-46, 1976.
577. Pinzur MS, Gold J, Schwartz D, Gross N. Energy demands for walking in dysvascular amputees as related to the level of amputation. *Orthopaedics* 15:1033-1073, 1992.
578. Calhoun JH, Mader JT, Sanford JP. Infection in the diabetic foot. *Hosp Pract (Off Ed)* 27(3A):81-84, 87-90, 99 passim, 1992.
579. Gordois A, Scuffham P, Shearer A, Oglesby A, Tobian JA. The health care costs of diabetic peripheral neuropathy in the US. *Diabetes Care* 26:1790-1795, 2003.